



29 Jun 2015
29 June 2015
P.U. (A) 133

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PERINTAH KASTAM (DUTI PELINDUNG MUKTAMAD)
2015

*CUSTOMS (DEFINITIVE SAFEGUARDS DUTIES)
ORDER 2015*



DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PELINDUNG 2006 DAN AKTA KASTAM 1967

PERINTAH KASTAM (DUTI PELINDUNG MUKTAMAD) 2015

PADA menjalankan kuasa yang diberikan oleh subseksyen 23(3) Akta Pelindung 2006 [*Akta 657*] dan subseksyen 11(1) Akta Kastam 1967 [*Akta 235*], Menteri membuat perintah yang berikut:

Nama dan permulaan kuat kuasa

1. (1) Perintah ini bolehlah dinamakan **Perintah Kastam (Duti Pelindung Muktamad) 2015**.

(2) Perintah ini berkuat kuasa bagi tempoh mulai 2 Julai 2015 hingga 1 Julai 2018.

Duti pelindung muktamad

2. (1) Duti pelindung muktamad hendaklah dilevi terhadap dan dibayar oleh pengimport berkenaan dengan barang-barang yang dinyatakan dalam ruang (1) dan (2) Jadual Pertama, yang dieksport dari negara yang dinyatakan dalam ruang (3) Jadual Pertama ke dalam Malaysia, pada kadar yang dinyatakan dalam ruang (4) Jadual Pertama.

(2) Barang-barang yang dinyatakan dalam ruang (1) dan (2) Jadual Pertama ialah barang-barang yang aplikasi, standard antarabangsa, gred dan tajuknya adalah sebagaimana yang dinyatakan dalam Jadual Kedua.

(3) Duti pelindung muktamad yang dikenakan di bawah Perintah ini hendaklah bagi tempoh tiga tahun mulai 2 Julai 2015 hingga 1 Julai 2018 pada kadar seperti yang berikut:

Tempoh	Duti Pelindung Muktamad (%)
2 Julai 2015 – 1 Julai 2016	17.40 %
2 Julai 2016 – 1 Julai 2017	13.90%
2 Julai 2017 – 1 Julai 2018	10.40%

Pembayaran duti pelindung muktamad

3. Duti pelindung muktamad yang kena dibayar di bawah Perintah ini hendaklah dibayar secara tunai.

Penjenisan barang-barang

4. (1) Penjenisan barang-barang yang dinyatakan dalam ruang (1) dan (2) Jadual Pertama hendaklah mematuhi Rukun-Rukun Tafsiran dalam Perintah Duti Kastam 2012 [*P.U. (A) 275/2012*].

(2) Nombor kepala atau subkepala yang dinyatakan dalam ruang (1) Jadual Pertama diperuntukkan bagi kemudahan rujukan dan tidak mempunyai kesan mengikat terhadap penjenisan barang-barang yang diperihalkan dalam ruang (2) Jadual Pertama.

Kesan terhadap duti import, dan cukai barang dan perkhidmatan

5. Pengenaan duti pelindung muktamad di bawah Perintah ini tidaklah menjejaskan pengenaan dan pemungutan—

(a) duti import di bawah Akta Kastam 1967 [*Akta 235*]; dan

(b) cukai barang dan perkhidmatan di bawah Akta Cukai Barang dan Perkhidmatan 2014 [*Akta 762*].

JADUAL PERTAMA

[Subperenggan 2(1)]

DUTI PELINDUNG MUKTAMAD

(1)	(2)	(3)	(4)
<i>Nombor Kepala/ Subkepala mengikut Kod H.S. (Kod AHTN)</i>	<i>Perihal Barang-Barang</i>	<i>Negara</i>	<i>Kadar Duti (Peratusan (%) daripada Nilai Kos, Insurans dan Tambang (KIT))</i>
7208.51.000, 7208.52.000, 7225.40.000, (7208.51.00 00, 7208.52.00 00, 7225.40.90 00)	Keluaran plat keluli gulungan panas besi atau keluli bukan aloi dan keluli aloi yang lain, yang mempunyai kelebaran 600 milimeter atau lebih, gulungan panas, tidak diliputi, disadur atau disalut, yang mempunyai ketebalan antara 6 milimeter hingga 75 milimeter	<ol style="list-style-type: none"> 1. Australia 2. Kanada 3. Republik Czech 4. Republik Persekutuan Jerman 5. Perancis 6. Luxembourg 7. Greece 8. Hungary 9. Ireland 10. Itali 11. Jepun 12. Negara Belgium 13. Negara Denmark 14. Negara Norway 15. Negara Sepanyol 16. Negara Sweden 17. Negara Belanda 18. New Zealand 19. Republik Rakyat China 	<p style="text-align: center;">17.40%</p> <p style="text-align: center;">(2 Julai 2015 – 1 Julai 2016)</p> <p style="text-align: center;">13.90%</p> <p style="text-align: center;">(2 Julai 2016 – 1 Julai 2017)</p> <p style="text-align: center;">10.40%</p> <p style="text-align: center;">(2 Julai 2017 – 1 Julai 2018)</p>

20. Republik
Portugal
21. Liechtenstein
22. Republik Austria
23. Republik
Bulgaria
24. Republik Cyprus
25. Republik Estonia
26. Republik Finland
27. Republik Iceland
28. Republik
Indonesia
29. Republik Korea
30. Republik Latvia
31. Republik
Lithuania
32. Republik Malta
33. Republik Poland
34. Republik
Singapura
35. Republik
Slovenia
36. Romania
37. Slovakia
38. Negara Israel
39. Switzerland
40. Ukraine
41. United Kingdom
of Great Britain
dan Ireland Utara
42. Amerika Syarikat

JADUAL KEDUA

[Subperenggan 2(2)]

BARANG-BARANG YANG DIKENAKAN DUTI PELINDUNG MUKTAMAD

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
Bagi struktur, pembinaan, fabrikasi dan jentera industri	EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur- Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	BS EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur- Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	I.S EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur- Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	SN EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur- Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	ASTM A36/ A36M	A36	Spesifikasi standard bagi keluli struktur karbon
	ASTM A283/ A283M	A, B, C, D	Spesifikasi standard bagi plat keluli karbon berkekuatan tegangan rendah dan pertengahan
	ASTM A572/ A572M	42, 50, 55, 60, 65	Spesifikasi standard bagi keluli struktur kolumbium-vanadium aloi rendah berkekuatan tinggi

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	ASTM A573/ A573M	58, 65, 70	Spesifikasi standard bagi plat keluli karbon struktur berketahanan diperbaik
	ASTM A529/A529M	50, 55	Spesifikasi standard bagi keluli karbon-mangan berkekuatan tinggi berkualiti struktur
	ASTM A569/A569M	Jenis A, B, C	Spesifikasi standard bagi keluli, karbon (maksimum 0.15, peratus), kepingan dan jalur gulungan panas dagangan
	ASTM A570/A570M	Gr. 30, 33, 36, 40, 45, 50, 55	Spesifikasi standard bagi keluli struktur, jalur dan kepingan, karbon, gulungan panas
	ASTM A635/A635M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1023, 1524	Spesifikasi standard bagi keluli, jalur dan kepingan, gegelung berketebalan berat, karbon, gulungan panas
	ASTM A656/ A656M	50, 60	Spesifikasi standard bagi keluli struktur gulungan panas berkekuatan tinggi, plat aloi rendah dengan kebolehbentukan diperbaik
	ASTM A659/A659M	1015, 1016, 1017, 1018, 1020, 1021, 1023	Spesifikasi standard bagi keluli dagangan (CS), jalur dan kepingan, karbon (maksimum 0.16 hingga maksimum 0.25, peratus), gulungan panas
	ASTM A715/A715M	50, 60, 70	Spesifikasi standard bagi jalur dan kepingan keluli, berkekuatan tinggi, aloi rendah, gulungan panas, dan kepingan keluli, gulungan sejuk, berkekuatan tinggi, aloi rendah, dengan kebolehbentukan diperbaik

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	ASTM A830/ A830M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1025, 1026, 1524	Spesifikasi standard bagi plat, keluli karbon, kualiti struktur, diperlengkapi dengan keperluan komposisi kimia
	ASTM A907/A907M	Gr 30, 33, 36, 40	Spesifikasi standard bagi keluli, kepingan dan jalur, gegelung berketebalan berat, karbon, gulungan panas, kualiti struktur
	ASME SA36/ SA 36M	A36	Spesifikasi standard bagi keluli struktur karbon
	ASME SA283/ SA283M	A, B, C, D	Spesifikasi standard bagi plat keluli karbon berkekuatan tegangan rendah dan pertengahan
	ASME SA529/SA529M	50, 55	Spesifikasi bagi keluli karbon-mangan berkekuatan tinggi berkualiti struktur
	ASME SA569/SA569M	Jenis A, B, C	Spesifikasi standard bagi keluli, karbon (maksimum 0.15, peratus), kepingan gulungan panas dan jalur dagangan
	ASME SA570/SA570M	Gr. 30, 33, 36, 40, 45, 50, 55	Spesifikasi standard bagi keluli struktur, kepingan dan jalur, karbon, gulungan panas
	ASME SA572/SA572M	42, 50, 55, 60, 65	Spesifikasi standard bagi keluli struktur kolumbium-vanadium aloi rendah berkekuatan tinggi

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	ASME SA573/SA573M	58, 65, 70	Spesifikasi standard bagi plat keluli karbon struktur berketahanan diperbaik
	ASME SA635/SA635M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1023, 1524	Spesifikasi standard bagi keluli, kepingan dan jalur, gegelung berketebalan berat, karbon, gulungan panas
	ASME SA656/SA656M	50, 60	Spesifikasi standard bagi keluli struktur gulungan panas berkekuatan tinggi, plat aloi rendah dengan kebolehbentukan diperbaik
	ASME SA659/SA659M	1015, 1016, 1017, 1018, 1020, 1021, 1023	Spesifikasi standard bagi keluli dagangan (CS), kepingan dan jalur, karbon (maksimum 0.16 hingga maksimum 0.25, peratus), gulungan panas
	ASME SA715/SA715M	50, 60, 70	Spesifikasi standard bagi kepingan dan jalur keluli, berkekuatan tinggi, aloi rendah, gulungan panas, dan kepingan keluli, gulungan sejuk, berkekuatan tinggi, aloi rendah, dengan kebolehbentukan diperbaik
	ASME SA830/SA830M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1025, 1026, 1524	Spesifikasi standard bagi plat, keluli karbon, kualiti struktur, diperlengkapi dengan keperluan komposisi kimia

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	ASME SA907/SA907M	Gr 30, 33, 36, 40	Spesifikasi standard bagi keluli, kepingan dan jalur, gegelung berketebalan berat, karbon, gulungan panas, kualiti struktur
	AS/NZS 3678	250, 350	Keluli struktur – Plat gulungan panas, plat dan papak lantai
	AS/NZS 1594	HA 1006, HA 1010, HA 1016	Keluaran lembaran keluli gulungan panas
	CSA G40.21	230G, 260W, WT 300W, WT 350W, WT	Keluli kualiti struktur – Plat, kepingan, plat lantai, bentuk bar dan dikimpal
	CSA G40.20	230G, 260W, WT 300W, WT 350W, WT	Keperluan am bagi keluli kualiti struktur digulung atau dikimpal
	BS 4360	40A, 40B, 40C, 40D, 43A, 43B, 43C, 43D, 50A, 50B, 50C, 50D	Spesifikasi bagi keluli struktur boleh kimpal
	JIS G 3101	SS330, SS400 SS490, SS540	Keluli digulung bagi Struktur Am
	JIS G 3111	SRB 330 SRB 380 SRB 480	Keluli karbon digulung semula
	JIS G 3131	SPHC	Plat, kepingan dan jalur keluli lembut gulungan panas
	JIG G 3132	SPHT1 SPHT2 SPHT3 SPHT4	Jalur keluli karbon gulungan panas bagi paip dan tiub

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	JIS G 3106	SM400A SM400B SM400C SM490A SM490B SM490C SM490YA SM490YB SM520B SM520C	Keluli digulung bagi struktur dikimpal
	NBN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	NEN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	CSN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	SFS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	NF EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	DIN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
		S355J2, S355K2	
	UNI EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	NS EN10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	PN EN10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	UNE EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	SS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	DIN 17100	RSt 37-2 St 37-3U St 44-2 St 44-3U St 52-3 St 52-3U	Keluli bagi tujuan struktur am
	NFA 35-501	E 24-2 E 24-3 E 28-2 E 28-3 E 36-2	Spesifikasi standard adalah bagi plat keluli karbon berkekuatan tegangan rendah dan pertengahan

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
		E 36-3	
	UNI 7070	Fe 360B Fe 360C Fe 430B Fe 430C Fe 510B Fe 510C	Keluaran siap gulungan panas keluli asas tiada aloi dan kualiti. Seksyen, bar dagangan, lembaran lebar, plat, kepingan, jalur dan gegelung bagi tujuan kejuruteraan dan struktur
	NBN 21-101	AE 235B AE 235C AE 295B AE 295C AE 355B AE 355C	Standard bagi keluli struktur
	MNC 810E	SS13.11.00 SS13.12.00 SS14.12.00 SS21.32.01 SS21.34.01	Standard bagi keluli struktur
	IS	IS226 Fe 410-S IS 2062 Fe 410 WA IS961 FE570 HT	Keluli bagi tujuan struktur am
	ISO 630	Fe 360B Fe 360C Fe 430B Fe 430C Fe 510B Fe 510C	Keluli struktur – plat, lembaran lebar, bar, seksyen dan profil
	ISO 4995	HR235, HR275 dan HR355; kelas B dan D	Kepingan keluli gulungan panas berkualiti struktur
	GB 700	Q195, Q215, Q235, Q255, Q275	Keluli struktur karbon

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
	GB 711	08	Plat keluli struktur dan jalur lebar karbon kualiti gulungan panas
	MS 1768	SPHT1 SPHT2 SPHT3 SPHT4	Jalur keluli karbon gulungan panas bagi paip dan tiub
	MS 1705	SPHC	Jalur keluli karbon dan kepingan gulungan panas berkualiti komersial dan lukisan
	MS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi
	TIS 1499-2541	SM400A SM400B SM400C SM490A SM490B SM490C SM490YA SM490YB SM520B SM520C	Gegelung keluli karbon, jalur, plat dan kepingan gulungan panas bagi struktur dikimpal
	TIS 1735-2542	SPHT1 SPHT2 SPHT3 SPHT4	Gegelung keluli karbon dan jalur gulungan panas bagi paip dan tiub
	KS D 3503	SS330 SS400 SS490 SS540	Keluli digulung bagi struktur am
	KS D 3515	SM400A SM400B SM400C SM490A	Keluli digulung bagi struktur dikimpal

<i>Aplikasi</i>	<i>Standard Antarabangsa</i>	<i>Gred</i>	<i>Tajuk</i>
		SM490B SM490C SM490YA SM490YB SM520B SM520C	
	GOST 16523	08ps, 10ps, 10, 15ps, 15, 20ps, 20, St1ps, St2ps, St1sp, St2sp, St3ps, St3sp	Kepingan keluli aplikasi am kualiti karbon dan kualiti lazim gulungan panas
	GOST 14637	St2ps, St2sp, St3sp, St3ps, St3Gps, St3Gsp	Plat keluli karbon kualiti lazim
	ONORM M1316	Rst360B	Keluli struktur kualiti bukan aloi
	ONORM EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Keluaran gulungan panas keluli struktur – Bahagian 2: Syarat penghantaran teknikal bagi keluli struktur bukan aloi

Dibuat 26 Jun 2015
[0.9060/18(S).25); PN(PU2)647/IV]

DATO' SERI HAJI AHMAD HUSNI BIN MOHAMAD HANADZLAH
Menteri Kewangan Kedua

[Akan dibentangkan di Dewan Rakyat menurut subseksyen 11(2) Akta Kastam 1967]

SAFEGUARDS ACT 2006 AND CUSTOMS ACT 1967

CUSTOMS (DEFINITIVE SAFEGUARDS DUTIES) ORDER 2015

IN exercise of the powers conferred by subsection 23(3) of the Safeguards Act 2006 [Act 657] and subsection 11(1) of the Customs Act 1967 [Act 235], the Minister makes the following order:

Citation and commencement

1. (1) This order may be cited as the **Customs (Definitive Safeguards Duties) Order 2015**.

(2) This Order has effect for the period from 2 July 2015 to 1 July 2018.

Definitive safeguards duties

2. (1) Definitive safeguards duties shall be levied on and paid by the importers in respect of goods specified in columns (1) and (2) of the First Schedule, exported from the countries specified in column (3) of the First Schedule into Malaysia, at the rates specified in column (4) of the First Schedule.

(2) The goods specified in columns (1) and (2) of the First Schedule are goods which applications, international standards, grades and titles are as specified in the Second Schedule.

(3) Definitive safeguards duties imposed under this Order shall be for a period of three years from 2 July 2015 until 1 July 2018 at the following rates:

Period	Definitive Safeguards Duties (%)
2 July 2015 – 1 July 2016	17.40 %
2 July 2016 – 1 July 2017	13.90%
2 July 2017 – 1 July 2018	10.40%

Payment of definitive safeguards duties

3. The definitive safeguards duties payable under this Order shall be paid in cash.

Classification of goods

4. (1) The classification of goods specified in columns (1) and (2) of the First Schedule shall comply with the Rules of Interpretation in the Customs Duties Order 2012 [*P.U. (A) 275/2012*].

(2) The heading or subheading numbers specified in column (1) of the First Schedule is provided for ease of reference and has no binding effect on the classification of goods described in column (2) of the First Schedule.

Effects on import duties, and goods and services tax

5. The imposition of the definitive safeguards duties under this Order is without prejudice to the imposition and collection of—

(a) import duties under the Customs Act 1967 [*Act 235*]; and

(b) goods and services tax under the Goods and Services Tax Act 2014 [*Act 762*].

FIRST SCHEDULE

[Subparagraph 2(1)]

DEFINITIVE SAFEGUARDS DUTIES

(1)	(2)	(3)	(4)
<i>Heading/ Subheading Numbers according to H.S. Code (AHN Code)</i>	<i>Description of Goods</i>	<i>Countries</i>	<i>Rate of Duties (Percentage (%)) of the Cost, Insurance and Freight (CIF) Value)</i>
7208.51.000, 7208.52.000, 7225.40.000, (7208.51.00 00, 7208.52.00 00, 7225.40.90 00)	Hot rolled steel plate products of iron or non-alloy steel and other alloy steel, of a width of 600 millimetres or more, hot rolled, not clad, plated or coated, of a thickness between 6 millimetres to 75 millimetres	<ol style="list-style-type: none"> 1. Australia 2. Canada 3. Czech Republic 4. Federal Republic of Germany 5. France 6. Luxembourg 7. Greece 8. Hungary 9. Ireland 10. Italy 11. Japan 12. Kingdom of Belgium 13. Kingdom of Denmark 14. Kingdom of Norway 15. Kingdom of Spain 16. Kingdom of Sweden 	<p>17.40% (2 July 2015 – 1 July 2016)</p> <p>13.90% (2 July 2016 – 1 July 2017)</p> <p>10.40% (2 July 2017 – 1 July 2018)</p>

17. Kingdom of the
Netherlands
18. New Zealand
19. People's Republic
of China
20. Portuguese
Republic
21. Liechtenstein
22. Republic of
Austria
23. Republic of
Bulgaria
24. Republic of
Cyprus
25. Republic of
Estonia
26. Republic of
Finland
27. Republic of
Iceland
28. Republic of
Indonesia
29. Republic of Korea
30. Republic of Latvia
31. Republic of
Lithuania
32. Republic of Malta
33. Republic of
Poland
34. Republic of
Singapore
35. Republic of
Slovenia

36. Romania
37. Slovakia
38. State of Israel
39. Switzerland
40. Ukraine
41. United Kingdom
of Great Britain
and Northern
Ireland
42. United States of
America

SECOND SCHEDULE

[Subparagraph 2(2)]

GOODS WHICH ARE IMPOSED WITH DEFINITIVE SAFEGUARDS DUTIES

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
For structural, construction, fabrication and industry machinery	EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	BS EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2 : Technical delivery conditions for non-alloy structural steels
	I.S EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2 : Technical delivery conditions for non-alloy structural steels
	SN EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2 : Technical delivery conditions for non-alloy structural steels
	ASTM A36/ A36M	A36	Standard specifications for carbon structural steel
	ASTM A283/ A283M	A, B, C, D	Standard specifications for low and intermediate tensile strength carbon steel plates
	ASTM A572/ A572M	42, 50, 55, 60, 65	Standard specifications for high-strength low-alloy -columbium-vanadium structural steel
	ASTM A573/ A573M	58, 65, 70	Standard specifications for structural carbon steel plates of improved toughness

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
	ASTM A529/A529M	50, 55	Standard specification for high-strength carbon-manganese steel of structural quality
	ASTM A569/A569M	Type A, B, C	Standard specification for steel, carbon (0.15 maximum, percent), hot-rolled sheet and strip commercial
	ASTM A570/A570M	Gr. 30, 33, 36, 40, 45, 50, 55	Standard specification for structural steel, sheet and strip, carbon, hot-rolled
	ASTM A635/A635M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1023, 1524	Standard specification for steel, sheet and strip, heavy-thickness coils, carbon, hot-rolled
	ASTM A656/ A656M	50, 60	Standard specification for hot-rolled structural steel high strength, low-alloy plates with improved formability
	ASTM A659/A659M	1015, 1016, 1017, 1018, 1020, 1021, 1023	Standard specification for commercial steel (CS), sheet and strip, carbon (0.16 maximum to 0.25 maximum, percent), hot-rolled
	ASTM A715/A715M	50, 60, 70	Standard specification for steel sheet and strip, high-strength, low-alloy, hot-rolled, and steel sheet, cold-rolled, high-strength, low-alloy, with improved formability
	ASTM A830/ A830M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021,	Standard specification for plates, carbon steel, structural quality, furnished to chemical composition requirements

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
		1022, 1023, 1025, 1026, 1524	
	ASTM A907/A907M	Gr 30, 33, 36, 40	Standard specification for steel, sheet and strip, heavy thickness coils, carbon, hot rolled, structural quality
	ASME SA36/ SA 36M	A36	Standard specification for carbon structural steel
	ASME SA283/ SA283M	A, B, C, D	Standard specification for low and intermediate tensile strength carbon steel plates
	ASME SA529/SA529M	50, 55	Specification for high-strength carbon-manganese steel of structural quality
	ASME SA569/SA569M	Type A, B, C	Standard specification for steel, carbon (0.15 maximum, percent), hot-rolled sheet and strip commercial
	ASME SA570/SA570M	Gr. 30, 33, 36, 40, 45, 50, 55	Standard specification for structural steel, sheet and strip, carbon, hot-rolled
	ASME SA572/SA572M	42, 50, 55, 60, 65	Standard specification for high-strength low-alloy columbium-vanadium structural steel
	ASME SA573/SA573M	58, 65, 70	Standard specification for structural carbon steel plates of improved toughness
	ASME SA635/SA635M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1023, 1524	Standard specification for steel, sheet and strip, heavy-thickness coils, carbon, hot-rolled

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
	ASME SA656/ SA656M	50, 60	Standard specification for hot rolled structural steel high strength, low alloy plates with improved formability
	ASME SA659/SA659M	1015, 1016, 1017, 1018, 1020, 1021, 1023	Standard specification for commercial steel (CS), sheet and strip, carbon (0.16 maximum to 0.25 maximum, percent), hot-rolled
	ASME SA715/SA715M	50, 60, 70	Standard specification for steel sheet and strip, high-strength, low-alloy, hot-rolled, and steel sheet, cold-rolled, high-strength, low-alloy, with improved formability
	ASME SA830/ SA830M	1006, 1008, 1009, 1010, 1012, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1025, 1026 1524	Standard specification for plates, carbon steel, structural quality, furnished to chemical composition requirements
	ASME SA907/SA907M	Gr 30, 33, 36, 40	Standard specification for steel, sheet and strip, heavy thickness coils, carbon, hot-rolled, structural quality
	AS/NZS 3678	250, 350	Structural steel – Hot-rolled plates, floor plates and slabs
	AS/NZS 1594	HA 1006, HA 1010, HA 1016	Hot rolled steel flat products
	CSA G40.21	230G, 260W, WT 300W, WT 350W, WT	Structural quality steel - Plates, sheet, floor plates, bars and welded shapes

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
	CSA G40.20	230G, 260W, WT 300W, WT 350W, WT	General requirements for rolled or welded structural quality steel
	BS 4360	40A, 40B, 40C, 40D, 43A, 43B, 43C, 43D, 50A, 50B, 50C, 50D	Specifications for weldable structural steels
	JIS G 3101	SS330, SS400 SS490, SS540	Rolled steel for General Structure
	JIS G 3111	SRB 330 SRB 380 SRB 480	Rerolled carbon steel
	JIS G 3131	SPHC	Hot rolled mild steel plates, sheets and strip
	JIS G 3132	SPHT1 SPHT2 SPHT3 SPHT4	Hot-rolled carbon steel strip for pipes and tubes
	JIS G 3106	SM400A SM400B SM400C SM490A SM490B SM490C SM490YA SM490YB SM520B SM520C	Rolled steels for welded structure
	NBN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	NEN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2,	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
		S355JR, S355JO, S355J2, S355K2	alloy structural steels
	CSN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	SFS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	NF EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	DIN EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	UNI EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	NS EN10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	PN EN10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
	UNE EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	SS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2: Technical delivery conditions for non-alloy structural steels
	DIN 17100	RSt 37-2 St 37-3U St 44-2 St 44-3U St 52-3 St 52-3U	Steels for general structure purposes
	NFA 35-501	E 24-2 E 24-3 E 28-2 E 28-3 E 36-2 E 36-3	Standard specification is for low and intermediate tensile strength carbon steel plates
	UNI 7070	Fe 360B Fe 360C Fe 430B Fe 430C Fe 510B Fe 510C	Hot rolled finished product of unalloyed basic and quality steel. Section, merchant bars, wide flats, plates, sheets, strips and coils for structural and engineering purposes.
	NBN 21-101	AE 235B AE 235C AE 295B AE 295C AE 355B AE 355C	Standard for structural steel
	MNC 810E	SS13.11.00 SS13.12.00 SS14.12.00 SS21.32.01 SS21.34.01	Standard for structural steel

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
	IS	IS226 Fe 410-S IS 2062 Fe 410 WA IS961 FE570 HT	Steel for general structural purposes
	ISO 630	Fe 360B Fe 360C Fe 430B Fe 430C Fe 510B Fe 510C	Structural steels – plates, wide flats, bars, sections and profiles
	ISO 4995	HR235, HR275 and HR355; classes B and D	Hot-rolled steel sheet of structural quality
	GB 700	Q195, Q215, Q235, Q255, Q275	Carbon structural steels
	GB 711	08	Hot-rolled quality carbon structural steel plates and wide strips
	MS 1768	SPHT1 SPHT2 SPHT3 SPHT4	Hot-rolled carbon steel strip for pipes and tubes
	MS 1705	SPHC	Hot-rolled carbon steel strip and sheet of commercial and drawing qualities
	MS EN 10025-2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels - Part 2: Technical delivery conditions for non-alloy structural steels
	TIS 1499-2541	SM400A SM400B SM400C SM490A	Hot-rolled carbon steel coil, strip, plate and sheet for welded structure

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
		SM490B SM490C SM490YA SM490YB SM520B SM520C	
	TIS 1735-2542	SPHT1 SPHT2 SPHT3 SPHT4	Hot-rolled carbon steel coil and strip for pipes and tubes
	KS D 3503	SS330 SS400 SS490 SS540	Rolled steels for general structures
	KS D 3515	SM400A SM400B SM400C SM490A SM490B SM490C SM490YA SM490YB SM520B SM520C	Rolled steels for welded structure
	GOST 16523	08ps, 10ps, 10, 15ps, 15, 20ps, 20, St1ps, St2ps, St1sp, St2sp, St3ps, St3sp	Hot rolled carbon quality and common quality general application steel sheet
	GOST 14637	St2ps, St2sp, St3sp,	Common quality carbon steel plate

<i>Applications</i>	<i>International Standards</i>	<i>Grades</i>	<i>Titles</i>
		St3ps, St3Gps, St3Gsp	
	ONORM M1316	Rst360B	Non alloy quality structural steel
	ONORM EN 10025 -2	S235JR, S235JO, S235J2, S275JR, S275JO, S275J2, S355JR, S355JO, S355J2, S355K2	Hot rolled products of structural steels – Part 2 : Technical delivery conditions for non-alloy structural steels

Made 26 June 2015
[0.9060/18(SJ.25); PN(PU2)647/IV]

DATO' SERI HAJI AHMAD HUSNI BIN MOHAMAD HANADZLAH
Second Minister of Finance

[To be laid before the Dewan Rakyat pursuant to subsection 11(2) of the Customs Act 1967]