



15 September 2022
15 September 2022
P.U. (B) 444

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFBTICA3)

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFBTICA3)*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFBTICA3)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFBTICA3)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: DLFBTICA3

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 036/18

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Tinggi ke sangat tinggi/ <i>Tall to very tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Sederhana/ <i>Medium</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Tinggi/ <i>High</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana/ <i>Medium</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Menumpu/ <i>Converging</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Obtus/ <i>Obtuse</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	Hanya varieti tidak rimbun: Jambak bunga: bentuk/ <i>Only non-bushy varieties: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>
19.	Hanya varieti tidak rimbun: Jambak bunga: lebar pada bahagian paling lebar/ <i>Only non-bushy varieties: Inflorescence: width at the widest point</i>	Sederhana/ <i>Medium</i>
20.	Hanya varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dan batang/ <i>Only non-bushy varieties: Inflorescence: angle between primary lateral shoot and stem</i>	Besar/ <i>Large</i>
21.	Hanya varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties: Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi upright</i>
22.	Hanya varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties: total number of flower heads per stem</i>	Sedikit/ <i>Few</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Merah jambu jingga sederhana (rujukan RHS: 173D) hampir ke 173D tetapi lebih jingga/ <i>Medium orange pink (RHS reference: 173D) nearest to 173D but more orange</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Besar/ <i>Large</i>
26.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sederhana ke tinggi/ <i>Medium to high</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Panjang/ <i>Long</i>
28.	Hanya varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>Only daisy-eyed double and double varieties: Flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berusuk/ <i>Ribbed</i>
32.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
33.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cembung yang lemah/ <i>Weakly convex</i>
34.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Involut yang lemah/ <i>Weakly involute</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
35.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian pangkal/ <i>Basal half</i>
36.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
37.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Suku bahagian distal/ <i>Distal quarter</i>
38.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
39.	Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row(s) (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
40.	Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar): bahagian tidak lurus (floret tidak lurus)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row(s) (if different from outer row): part not straight (non-straight florets)</i>	Suku bahagian distal/ <i>Distal quarter</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
41.	Hanya varieti separa berganda, berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar): kekuatan kelengkungan (floreit tidak lurus)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row(s) (if different from outer row): strenght of curvature (non-straight floret)</i>	Lemah/ <i>Weak</i>
42.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana/ <i>Medium</i>
43.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana/ <i>Medium</i>
44.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
45.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Tajam/ <i>Pointed</i>
46.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
47.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Merah jambu jingga sederhana (rujukan RHS: N170D) N170D dengan sedikit kuning/ <i>Medium orange pink (RHS reference: N170D) N170D tinged with yellow</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFBTICA3'/ <i>Characteristics of 'DLFBTICA3' Chrysanthemum</i>
48.	Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
49.	Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian luar pada baris dalam (jika berbeza dengan baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: colour of outer side of inner row(s) (if different from outer row)</i>	Jingga kuning sederhana (rujukan RHS: 11A) hampir ke 11A tetapi sedikit gelap/ <i>Medium yellow orange (RHS reference: 11A) nearest to 11A but slightly darker</i>
50.	Kumpulan respon (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	9 minggu/ <i>9 weeks</i>

Bertarikh 23 Jun 2022

Dated 23 June 2022

[KP/LA/PVBT 036/18; PN(PU2)667/JLD. 19]

DATO' ZAHIMI BIN HASSAN
*Pengerusi Lembaga Varieti Tumbuhan/
 Chairman of the Plant Varieties Board*