



14 September 2022
14 September 2022
P.U. (B) 436

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (SEI NO SHOKOU)

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (SEI NO SHOKOU)*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (SEI NO SHOKOU)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (SEI NO SHOKOU)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant* : Inochio Seikoen Inc.

Nama pengenalan varieti/*Variety denomination*: SEI NO SHOKOU

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 014/18

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU'/ <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau dengan sedikit ungu atau perang/ <i>Green tinged with purple or brown</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU'/ <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Sederhana/ <i>Medium</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sangat menegak ke sederhana menegak/ <i>Very strongly upwards to moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sederhana ke panjang/ <i>Medium to long</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Panjang/ <i>Long</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana ke lebar/ <i>Medium to broad</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana ke tinggi/ <i>Medium to high</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Pendek ke sederhana/ <i>Short to medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Dalam ke sangat dalam/ <i>Deep to very deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Menumpu/ <i>Converging</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU'/ <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Kuning sederhana (rujukan RHS: 12A)/ <i>Medium yellow (RHS reference: 12A)</i>
19.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
20.	Kuntum bunga: garis pusat (pokok jenis dibuang tunas)/ <i>Flower head: diameter (disbudded plants)</i>	Kecil ke sederhana/ <i>Small to medium</i>
21.	Kuntum bunga: tinggi (pokok jenis dibuang tunas)/ <i>Flower head: height (disbudded plants)</i>	Rendah/ <i>Low</i>
22.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
23.	Hanya varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>Only daisy-eyed double and double varieties: Flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>
24.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
25.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Keluk mendalam/ <i>Incurved</i>
26.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berlunas/ <i>Keeled</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU'/ <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
27.	Floret jejari: bilangan lunas/ <i>Ray floret: number of keels</i>	Dua/ <i>Two</i>
28.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Sangat pendek/ <i>Very short</i>
29.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang sederhana/ <i>Moderately concave</i>
30.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Involut yang sederhana/ <i>Moderately involute</i>
31.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian pangkal/ <i>Basal half</i>
32.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
33.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
34.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
35.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana/ <i>Medium</i>
36.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana/ <i>Medium</i>
37.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU' / <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
38.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Tajam/ <i>Pointed</i>
39.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
40.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Kuning sederhana (rujukan RHS: 7B)/ <i>Medium yellow (RHS reference: 7B)</i>
41.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
42.	Floret jejari: warna di bahagian luar, di mana sangat berbeza dengan warna di bahagian dalam/ <i>Ray floret: colour of the outer side, where markedly different to inner side</i>	Kuning sederhana (rujukan RHS: 10A)/ <i>Medium yellow (RHS reference: 10A)</i>
43.	Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian dalam pada baris dalam (jika berbeza dengan baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: colour of inner side of inner row(s) (if different from outer row)</i>	Kuning sederhana (rujukan RHS: 6A)/ <i>Medium yellow (RHS reference: 6A)</i>
44.	Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian luar pada baris dalam (jika berbeza dengan baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: colour of outer side of inner row(s) (if different from outer row)</i>	Kuning sederhana (rujukan RHS: 8B)/ <i>Medium yellow (RHS reference: 8B)</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'SEI NO SHOKOU' / <i>Characteristics of 'SEI NO SHOKOU' Chrysanthemum</i>
45.	Kumpulan respon (ditanam di bawah kawalan tempoh siang secara tepat) / <i>Response group (grown with precise daylength control)</i>	8.5 minggu / <i>8.5 weeks</i>
46.	Tabiat berbunga / <i>Flowering habits</i>	Julai ke September / <i>July to September</i>
47.	Jenis dibuang tunas untuk bunga keratan sahaja: bilangan tunas sisi / <i>Disbudded type for cut flower only: number of lateral buds</i>	Sedikit / <i>Few</i>
48.	Hanya varieti berganda mata daisi dan varieti berganda: Floret jejari: sifat bahagian pangkal / <i>Only daisy-eyed double and double varieties: Ray floret: attitude of basal part</i>	Mendatar / <i>Horizontal</i>

Bertarikh 23 Jun 2022

Dated 23 June 2022

[KP/LA/PVBT 014/18; PN(PU2)667/JLD. 19]

DATO' ZAHIMI BIN HASSAN
*Pengerusi Lembaga Varieti Tumbuhan /
 Chairman of the Plant Varieties Board*