



26 Ogos 2022
26 August 2022
P.U. (B) 391

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (FIDCHRYVERON)

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (FIDCHRYVERON)*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (FIDCHRYVERON)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (FIDCHRYVERON)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Dümme Group B.V.

Nama pengenalan varieti/*Variety denomination*: Fidchryveron

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 010/17

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Sangat tinggi/ <i>Very tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Besar ke sangat besar/ <i>Large to very large</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sederhana/ <i>Medium</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana ke tinggi/ <i>Medium to high</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bersentuhan/ <i>Touching</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	Hanya varieti tidak rimbun: Jambak bunga: bentuk/ <i>Only non-bushy varieties: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>
19.	Hanya varieti tidak rimbun: Jambak bunga: lebar pada bahagian paling lebar/ <i>Only non-bushy varieties: Inflorescence: width at the widest point</i>	Sempit/ <i>Narrow</i>
20.	Hanya varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dan batang/ <i>Only non-bushy varieties: Inflorescence: angle between primary lateral shoot and stem</i>	Sederhana/ <i>Medium</i>
21.	Hanya varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties: Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi upright</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron'/ <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
22.	Hanya varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties: total number of flower heads per stem</i>	Sedikit/ <i>Few</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Merah jambu biru sederhana (rujukan RHS: 186D tetapi sedikit gelap)/ <i>Medium blue pink (RHS reference: 186D but slightly darker)</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana ke besar/ <i>Medium to large</i>
26.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Tinggi/ <i>High</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Sederhana ke panjang/ <i>Medium to long</i>
28.	Hanya varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>Only daisy-eyed double and double varieties: Flower head: density of ray florets</i>	Jarang ke sederhana/ <i>Sparse to medium</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Dua/ <i>Two</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Kuntum bunga: jenis floret jejari sekunder/ <i>Flower head: secondary type of ray floret</i>	Spatulat/ <i>Spatulate</i>
32.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berlunas/ <i>Keeled</i>
33.	Floret jejari: bilangan lunas/ <i>Ray floret: number of keels</i>	Dua/ <i>Two</i>
34.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
35.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave</i>
36.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang sederhana/ <i>Moderately revolute</i>
37.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
38.	Floret jejari: profil tiub (berbentuk corong, spatulat dan berbentuk bulu pelepah)/ <i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>	Segitiga/ <i>Triangular</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
40.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Suku bahagian distal/ <i>Distal quater</i>
41.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
42.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana/ <i>Medium</i>
43.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
44.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Sederhana ke tinggi/ <i>Medium to high</i>
45.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Mamilat/ <i>Mamillate</i>
46.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
47.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Violet cerah (rujukan RHS: 75B tetapi lebih sedikit biru)/ <i>Light violet (RHS reference: 75B but slightly more blue)</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Fidchryveron' / <i>Characteristics of 'Fidchryveron' Chrysanthemum</i>
48.	Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tuib pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
49.	Kumpulan respon (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	7.5 minggu/ <i>7.5 weeks</i>

Bertarikh 23 Jun 2022

Dated 23 June 2022

[KP/LA/PVBT 010/17; PN(PU2)667/JLD. 19]

DATO' ZAHIMI BIN HASSAN
*Pengerusi Lembaga Varieti Tumbuhan/
 Chairman of the Plant Varieties Board*