



4 Februari 2022
4 February 2022
P.U. (B) 82

WARTA KERAJAAN PERSEKUTUAN

FEDERAL GOVERNMENT GAZETTE

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK PEMBIAK BAKA (DLFYIN3)

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND GRANT OF BREEDER'S RIGHT (DLFYIN3)

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFYIN3)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFYIN3)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: DLFYIN3

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 066/18

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3' / <i>Characteristics of</i> <i>'DLFYIN3' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Pendek ke sederhana/ <i>Short to medium</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Besar/ <i>Large</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sederhana/ <i>Medium</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Pendek/ <i>Short</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Tinggi/ <i>High</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana ke panjang/ <i>Medium to long</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margin of the lowest lateral sinus</i>	Menumpu/ <i>Converging</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Banyak/ <i>Many</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: bentuk/ <i>Only non-bushy varieties: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>
19.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: lebar pada bahagian paling lebar/ <i>Only non-bushy varieties: Inflorescence: width at the widest point</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>
20.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: sudut di antara pucuk sisi utama dengan batang/ <i>Only non-bushy varieties: Inflorescence: angle between primary lateral shoot and stem</i>	Sederhana/ <i>Medium</i>
21.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties: Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi upright</i>
22.	<u>Hanya varieti tidak rimbun</u> : Jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties: Total number of flower heads per stem</i>	Sederhana ke banyak/ <i>Medium to many</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Merah jambu biru gelap (rujukan RHS: hampir ke 186C tetapi sedikit gelap)/ <i>Dark blue pink (RHS reference: nearest to 186C but slightly darker)</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi double</i>
25.	<u>Tidak termasuk varieti berganda dan varieti berganda mata-daisi:</u> Cakera: jenis/ <i>Excluding double and daisy-eyed double varieties: Disc: type</i>	Daisi/ <i>Daisy</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sangat kecil ke kecil/ <i>Very small to small</i>
27.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sangat rendah ke rendah/ <i>Very low to low</i>
28.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Sederhana/ <i>Medium</i>
29.	<u>Hanya varieti separa berganda dan varieti berganda mata-daisi:</u> Kuntum bunga: bilangan baris floret jejari/ <i>Only semi double and daisy-eyed double varieties: Flower head: number of rows of ray florets</i>	Sedikit/ <i>Few</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
30.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Kuntum bunga: bilangan floret jejari/ <i>Only single and semi double varieties: Flower head: number of ray florets</i>	Sederhana ke banyak/ <i>Medium to many</i>
31.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
32.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
33.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Floret jejari: sifat bahagian pangkal/ <i>Only single and semi double varieties: Ray floret: attitude of basal part</i>	Mendatar/ <i>Horizontal</i>
34.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berusuk/ <i>Ribbed</i>
35.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
36.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave</i>
37.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang lemah/ <i>Weakly revolute</i>
38.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Lurus/ <i>Straight</i>
40.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
41.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit/ <i>Narrow</i>
42.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah/ <i>Low</i>
43.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Dentat/ <i>Dentate</i>
44.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
45.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Violet cerah (rujukan RHS: 76C tetapi lebih merah)/ <i>Light violet (RHS reference: 76C but more red)</i>
46.	Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel- shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
47.	<u>Hanya varieti tunggal dan varieti separa berganda daripada jenis daisi:</u> Cakera: garis pusat/ <i>Only single and semi-double varieties which are daisy type: Disc: diameter</i>	Sangat kecil ke kecil/ <i>Very small to small</i>
48.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Cakera: garis pusat cakera berbanding dengan garis pusat kuntum bunga/ <i>Only single and semi-double varieties: Disc: diameter relative to head diameter</i>	Besar/ <i>Large</i>
49.	<u>Hanya varieti jenis daisi:</u> Cakera: profil keratan rentas/ <i>Only daisy type varieties: Disc: profile in cross section</i>	Agak berkubah/ <i>Slightly domed</i>
50.	<u>Hanya varieti jenis daisi:</u> Cakera: kumpulan warna sebelum anter membengang/ <i>Only daisy type varieties: Disc: colour group before anther dehiscence</i>	Hijau kekuningan/ <i>Yellowish green</i>
51.	<u>Hanya varieti jenis daisi:</u> Cakera: kewujudan tompok gelap pada bahagian tengah sebelum anter membengang/ <i>Only daisy type varieties: Disc: presence of dark spot at center before anther dehiscence</i>	Ada/ <i>Present</i>
52.	<u>Hanya varieti jenis daisi:</u> Cakera: saiz tompok gelap pada bahagian tengah sebelum anter membengang, berbanding dengan saiz cakera/ <i>Only daisy type varieties: Disc: size of dark spot at center before anther dehiscence, relative to disc size</i>	Besar/ <i>Large</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFYIN3'/ <i>Characteristics of 'DLFYIN3' Chrysanthemum</i>
53.	<u>Hanya varieti jenis daisi</u> : Cakera: warna tompok gelap pada bahagian tengah sebelum anter membengang/ <i>Only daisy type varieties: Disc: colour of dark central spot before anther dehiscence</i>	Perang gelap (rujukan RHS: 200B)/ <i>Dark brown (RHS reference: 200B)</i>
54.	<u>Hanya varieti jenis daisi</u> : Cakera: kumpulan warna semasa anter membengang/ <i>Only daisy type varieties: Disc: colour group at anther dehiscence</i>	Kuning cerah/ <i>Light yellow</i>
55.	Kumpulan respons (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	6 minggu/ <i>6 weeks</i>

Bertarikh 4 Januari 2022

Dated 4 January 2022

[KP/LA/483/18/1; PN(PU2)667/Jld. 18]

DATO' ZAHIMI BIN HASSAN
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*