



24 Januari 2022
24 January 2022
P.U. (B) 46

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFVAN3)

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFVAN3)*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFVAN3)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFVAN3)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: DLFVAN3

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 013/19

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau dengan sedikit ungu atau perang/ <i>Green tinged with purple or brown</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Sederhana/ <i>Medium</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Mendatar/ <i>Horizontal</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sederhana ke panjang/ <i>Medium to long</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana ke lebar/ <i>Medium to broad</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sangat rendah ke rendah/ <i>Very low to low</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sedikit ke sederhana/ <i>Few to medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: bentuk/ <i>Only non-bushy varieties: Inflorescence: form</i>	Kon/ <i>Conical</i>
19.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: lebar pada bahagian yang paling lebar/ <i>Only non-bushy varieties: Inflorescence: width at the widest point</i>	Sederhana ke lebar/ <i>Medium to broad</i>
20.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: sudut di antara pucuk sisi utama dengan batang/ <i>Only non-bushy varieties: Inflorescence: angle between primary lateral shoot and stem</i>	Kecil ke sederhana/ <i>Small to medium</i>
21.	<u>Hanya varieti tidak rimbun</u> : Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties: Inflorescence: attitude of lateral flower heads</i>	Menegak/ <i>Upright</i>
22.	<u>Hanya varieti tidak rimbun</u> : Jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties: Total number of flower heads per stem</i>	Sedikit ke sederhana/ <i>Few to medium</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Violet cerah (rujukan RHS: 76C)/ <i>Light violet (RHS reference: 76C)</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana ke besar/ <i>Medium to large</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
26.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sederhana ke tinggi/ <i>Medium to high</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek/ <i>Short</i>
28.	<u>Hanya varieti berganda mata-daisi dan varieti berganda:</u> Kuntum bunga: kepadatan floret jejari/ <u>Only daisy-eyed double and double varieties:</u> <i>Flower head:</i> <i>density of ray florets</i>	Sederhana/ <i>Medium</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berusuk/ <i>Ribbed</i>
32.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
33.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave</i>
34.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang lemah/ <i>Weakly revolute</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
35.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian basal/ <i>Basal half</i>
36.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
37.	Floret jejari: bahagian tidak lurus pada paksi membujur (floret tidak lurus)/ <i>Ray floret: part not straight in longitudinal axis (non-straight florets)</i>	Suku bahagian distal/ <i>Distal quarter</i>
38.	Floret jejari: kekuatan kelengkungan pada paksi membujur (floret tidak lurus)/ <i>Ray floret: strength of curvature in longitudinal axis (non-straight florets)</i>	Sederhana ke kuat/ <i>Medium to strong</i>
39.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
40.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar): bahagian tidak lurus (floret tidak lurus)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row (if different from outer row): part not straight (non-straight florets)</i>	Paling hujung ke suku bahagian distal/ <i>Extreme tip to distal quarter</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
41.	<p>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar): kekuatan kelengkungan (floret tidak lurus)/</p> <p><i>Only semi double, daisy-eyed double and double varieties:</i></p> <p><i>Ray floret: longitudinal axis of inner row (if different from outer row): strength of curvature (non-straight florets)</i></p>	Lemah/ <i>Weak</i>
42.	<p>Floret jejari: panjang/ <i>Ray floret: length</i></p>	Sederhana ke panjang/ <i>Medium to long</i>
43.	<p>Floret jejari: lebar/ <i>Ray floret: width</i></p>	Sederhana ke lebar/ <i>Medium to broad</i>
44.	<p>Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i></p>	Sederhana/ <i>Medium</i>
45.	<p>Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i></p>	Emarginat/ <i>Emarginate</i>
46.	<p>Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i></p>	Satu/ <i>One</i>
47.	<p>Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i></p>	Violet cerah (rujukan RHS: 75C)/ <i>Light violet (RHS reference: 75C)</i>
48.	<p>Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/</p> <p><i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i></p>	Sangat berbeza/ <i>Markedly different</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'DLFVAN3'/ <i>Characteristics of 'DLFVAN3' Chrysanthemum</i>
49.	Floret jejari: warna di bahagian luar, yang sangat berbeza dengan di bahagian dalam/ <i>Ray floret: colour of the outer side, where markedly different to inner side</i>	Putih (rujukan RHS: NN155B; pada warna latar violet)/ <i>White (RHS reference: NN155B; on a violet ground colour)</i>
50.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: warna di bahagian luar pada baris dalam (jika berbeza dengan baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: colour of outer side of inner row (if different from outer row)</i>	Hijau cerah (rujukan RHS: 144D)/ <i>Light green (RHS reference: 144D)</i>
51.	Kumpulan respons (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 4 Januari 2022

Dated 4 January 2022

[KP/LA/483/18/1; PN(PU2)667/Jld. 18]

DATO' ZAHIMI BIN HASSAN
Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board