



24 Januari 2022  
24 January 2022  
P.U. (B) 45

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN  
PENDAFTARAN VARIETI BARU TUMBUHAN DAN  
PEMBERIAN HAK PEMBIAK BAKA (DEKMONA ME)

*NOTIFICATION OF APPLICATION  
FOR REGISTRATION OF NEW PLANT VARIETY AND  
GRANT OF BREEDER'S RIGHT (DEKMONA ME)*

DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN  
PEMBERIAN HAK PEMBIAK BAKA (DEKMONA ME)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND  
GRANT OF BREEDER'S RIGHT (DEKMONA ME)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Dekker Breeding B.V.

Nama pengenalan varieti/*Variety denomination*: Dekmona Me

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 010/19

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Sederhana/ <i>Medium</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak ke mendatar/ <i>Moderately upwards to horizontal</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana/ <i>Medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana/ <i>Medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Panjang/ <i>Long</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Cetek/ <i>Shallow</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margin of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Tidak simetri/ <i>Asymmetric</i>
14.	Daun: keberkilatan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Gelap/ <i>Dark</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sedikit/ <i>Few</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana ke dalam/ <i>Medium to deep</i>
18.	<u>Hanya varieti tidak rimbun (lihat ciri 2):</u> Jambak bunga: bentuk/ <i>Only non-bushy varieties (see char. 2): Inflorescence: form</i>	Bentuk korimb/ <i>Corymbiform</i>
19.	<u>Hanya varieti tidak rimbun (lihat ciri 2):</u> Jambak bunga: lebar pada bahagian yang paling lebar/ <i>Only non-bushy varieties (see char. 2): Inflorescence: width at the widest point</i>	Sederhana ke lebar/ <i>Medium to broad</i>
20.	<u>Hanya varieti tidak rimbun (lihat ciri 2):</u> Jambak bunga: sudut di antara pucuk sisi utama dengan batang/ <i>Only non-bushy varieties (see char. 2): Inflorescence: angle between primary lateral shoot and stem</i>	Kecil ke sederhana/ <i>Small to medium</i>
21.	<u>Hanya varieti tidak rimbun (lihat ciri 2):</u> Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties (see char. 2): Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi upright</i>
22.	<u>Hanya varieti tidak rimbun (lihat ciri 2):</u> Jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties (see char. 2): Total number of flower heads per stem</i>	Sederhana ke banyak/ <i>Medium to many</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Antara putih dengan hijau cerah (rujukan RHS: 155C dan 149D)/ <i>Between white and light green (RHS reference: 155C and 149D)</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi double</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
25.	<u>Tidak termasuk varieti berganda dan varieti berganda mata-daisi:</u> Cakera: jenis/ <i>Excluding double and daisy-eyed double varieties: Disc: type</i>	Anemone/ <i>Anemone</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana ke besar/ <i>Medium to large</i>
27.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>
28.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Sederhana/ <i>Medium</i>
29.	<u>Hanya varieti separa berganda dan varieti berganda mata daisi:</u> Kuntum bunga: bilangan baris floret jejari/ <i>Only semi double and daisy-eyed double varieties: Flower head: number of rows of ray florets</i>	Sedikit/ <i>Few</i>
30.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Kuntum bunga: bilangan floret jejari/ <i>Only single and semi double varieties: Flower head: number of ray florets</i>	Sederhana/ <i>Medium</i>
31.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
32.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
33.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Floret jejari: sifat bahagian pangkal/ <i>Only single and semi double varieties: Ray floret: attitude of basal part</i>	Mendatar/ <i>Horizontal</i>
34.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
35.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
36.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Rata/ <i>Flat</i>
37.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Involut yang lemah/ <i>Weakly involute</i>
38.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Suku bahagian basal/ <i>Basal quarter</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
40.	Floret jejari: bahagian tidak lurus pada paksi membujur (floret tidak lurus)/ <i>Ray floret: part not straight in longitudinal axis (non-straight florets)</i>	Paling hujung ke suku bahagian distal/ <i>Extreme tip to distal quarter</i>
41.	Floret jejari: kekuatan kelengkungan pada paksi membujur (floret tidak lurus)/ <i>Ray floret: strength of curvature in longitudinal axis (non-straight florets)</i>	Lemah/ <i>Weak</i>
42.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana ke panjang/ <i>Medium to long</i>
43.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana ke lebar/ <i>Medium to broad</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
44.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
45.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Menajam/ <i>Pointed</i>
46.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
47.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Putih (rujukan RHS: NN155D)/ <i>White (RHS reference: NN155D)</i>
48.	Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tuib pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
49.	<u>Hanya varieti tunggal dan varieti separa berganda daripada jenis anemone: Cakera: garis pusat/</u> <i><u>Only single and semi-double varieties which are anemone type: Disc: diameter</u></i>	Besar/ <i>Large</i>
50.	<u>Hanya varieti tunggal dan varieti separa berganda: Cakera: garis pusat cakera relatif kepada garis pusat kuntum bunga/</u> <i><u>Only single and semi double varieties: Disc: diameter relative to head diameter</u></i>	Sederhana ke besar/ <i>Medium to large</i>
51.	<u>Hanya varieti jenis anemone: Cakera: warna sebelum anter membembang/</u> <i><u>Only anemone type varieties: Disc: colour before anther dehiscence</u></i>	Hijau cerah (rujukan RHS: 145A)/ <i>Light green (RHS reference: 145A)</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Kekwa 'Dekmona Me' / <i>Characteristics of 'Dekmona Me' Chrysanthemum</i>
52.	<u>Hanya varieti jenis anemone</u> : Cakera: warna semasa anter membengang/ <i>Only anemone type varieties: Disc: colour at anther dehiscence</i>	Hijau cerah (rujukan RHS: 145A)/ <i>Light green (RHS reference: 145A)</i>
53.	<u>Hanya varieti jenis anemone</u> : Floret cakera: jenis/ <i>Only anemone type varieties: Disc floret: type</i>	Bentuk corong/ <i>Funnel-shaped</i>
54.	<u>Hanya varieti jenis anemone</u> : Floret cakera: panjang/ <i>Only anemone type varieties: Disc floret: length</i>	Sederhana/ <i>Medium</i>
55.	<u>Hanya varieti jenis anemone</u> : Floret cakera: warna/ <i>Only anemone type varieties: Disc floret: colour</i>	Putih (rujukan RHS: NN155D)/ <i>White (RHS reference: NN155D)</i>
56.	Kumpulan respons (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 4 Januari 2022

*Dated 4 January 2022*

[KP/LA/483/18/1; PN(PU2)667/Jld. 18]

DATO' ZAHIMI BIN HASSAN  
*Pengerusi Lembaga Varieti Tumbuhan/  
 Chairman of the Plant Varieties Board*