



8 Disember 2021
8 December 2021
P.U. (B) 635

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFLICI6)

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFLICI6)*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA (DLFLIC16)

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT (DLFLIC16)

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: DFLICI6

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 018/18

Tanaman/*Crop*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of variety: Subject to weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFICI6'/ <i>Characteristics of 'DLFICI6'</i> <i>Chrysanthemum</i>
1.	Pokok: tinggi/ <i>Plant: height</i>	Tinggi ke sangat tinggi/ <i>Tall to very tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Besar/ <i>Large</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Mendatar/ <i>Horizontal</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana/ <i>Medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana/ <i>Medium</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Menumpu/ <i>Converging</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Banyak/ <i>Many</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	<u>Hanya varieti tidak rimbun:</u> Jambak bunga: bentuk/ <i>Only non-bushy varieties: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>
19.	<u>Hanya varieti tidak rimbun:</u> Jambak bunga: lebar pada bahagian paling lebar/ <i>Only non-bushy varieties: Inflorescence: width at the widest point</i>	Sempit/ <i>Narrow</i>
20.	<u>Hanya varieti tidak rimbun:</u> Jambak bunga: sudut di antara pucuk sisi utama dengan batang/ <i>Only non-bushy varieties: Inflorescence: angle between primary lateral shoot and stem</i>	Kecil/ <i>Small</i>
21.	<u>Hanya varieti tidak rimbun:</u> Jambak bunga: sifat kuntum bunga sisi/ <i>Only non-bushy varieties: Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi upright</i>
22.	<u>Hanya varieti tidak rimbun:</u> Jumlah bilangan kuntum bunga pada setiap batang/ <i>Only non-bushy varieties: Total number of flower heads per stem</i>	Sedikit/ <i>Few</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
23.	Kudup bunga: warna bahagian luar sebaik sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Merah perang (Rujukan RHS: paling hampir ke 182C tetapi lebih pudar)/ <i>Brown red</i> (RHS Reference: nearest to 182C but paler)
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi double</i>
25.	<u>Tidak termasuk varieti berganda dan varieti berganda mata-daisi:</u> Cakera: jenis/ <i>Excluding double and daisy-eyed double varieties: Disc: type</i>	Anemone/ <i>Anemone</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana/ <i>Medium</i>
27.	Kuntum bunga: tinggi (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sederhana/ <i>Medium</i>
28.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek ke sederhana/ <i>Short to medium</i>
29.	<u>Hanya varieti separa berganda dan varieti berganda mata-daisi:</u> Kuntum bunga: bilangan baris floret jejari/ <i>Only semi double and daisy-eyed double varieties: Flower head: number of rows of ray florets</i>	Sedikit/ <i>Few</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
30.	<u>Hanya varieti tunggal dan varieti separa berganda</u> : Kuntum bunga: bilangan floret jejari/ <i>Only single and semi double varieties: Flower head: number of ray florets</i>	Sangat banyak/ <i>Very much</i>
31.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
32.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
33.	<u>Hanya varieti tunggal dan varieti separa berganda</u> : Floret jejari: sifat bahagian pangkal/ <i>Only single and semi double varieties: Ray floret: attitude of basal part</i>	Menghala ke atas secara kuat ke menghala ke atas secara sederhana/ <i>Strongly ascending to moderately ascending</i>
34.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berusuk/ <i>Ribbed</i>
35.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
36.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave</i>
37.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang sederhana/ <i>Moderately revolute</i>
38.	Floret jejari: posisi bahagian dengan margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
40.	Floret jejari: bahagian tidak lurus pada paksi membujur (floret jejari tidak lurus)/ <i>Ray floret: part not straight in longitudinal axis (non-straight ray florets)</i>	Paling hujung ke suku bahagian distal/ <i>Extreme tip to distal quarter</i>
41.	Floret jejari: kekuatan kelengkungan pada paksi membujur (floret tidak lurus)/ <i>Ray floret: strength of curvature in longitudinal axis (non-straight florets)</i>	Lemah/ <i>Weak</i>
42.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
43.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar): bahagian tidak lurus (floret tidak lurus)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row (if different from outer row): part not straight (non-straight florets)</i>	Setengah bahagian distal/ <i>Distal half</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
44.	<u>Hanya varieti separa berganda, varieti berganda mata-daisi dan varieti berganda:</u> Floret jejari: paksi membujur pada baris dalam (jika berbeza daripada baris luar): kekuatan kelengkungan (florete tidak lurus)/ <i>Only semi double, daisy-eyed double and double varieties: Ray floret: longitudinal axis of inner row (if different from outer row): strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
45.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
46.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
47.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
48.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Menajam/ <i>Pointed</i>
49.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
50.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Merah jambu jingga sederhana (Rujukan RHS: N170C tetapi lebih gelap dan dengan sedikit kuning)/ <i>Medium orange pink (RHS Reference: N170C but darker and slightly tinged with yellow)</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
51.	Floret jejari: warna di bahagian luar dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Sangat berbeza/ <i>Markedly different</i>
52.	Floret jejari: warna di bahagian luar, di mana sangat berbeza daripada bahagian dalam/ <i>Ray floret: colour of the outer side, where markedly different to inner side</i>	Perang kuning cerah (Rujukan RHS: 161D dengan sedikit merah pada setengah bahagian distal)/ <i>Light yellow brown</i> (<i>RHS Reference: 161D tinged with red in the distal half</i>)
53.	<u>Hanya varieti tunggal dan varieti separa berganda daripada jenis anemone:</u> Cakera: garis pusat/ <i>Only single and semi-double varieties which are anemone type: Disc: diameter</i>	Sederhana/ <i>Medium</i>
54.	<u>Hanya varieti tunggal dan varieti separa berganda:</u> Cakera: garis pusat cakera berbanding dengan garis pusat kuntum bunga/ <i>Only single and semi-double varieties: Disc: diameter relative to head diameter</i>	Besar/ <i>Large</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
55.	<u>Hanya varieti jenis anemone</u> : Cakera: warna sebelum anter membengang/ <i>Only anemone type varieties: Disc: colour before anther dehiscence</i>	Perang hijau (Rujukan RHS: 151A tetapi banyak kesan sedikit dengan merah dan lebih kuning pada bahagian tengah)/ <i>Green brown</i> (<i>RHS Reference: 151A but heavily tinged with red and more yellow in the center</i>)
56.	<u>Hanya varieti jenis anemone</u> : Cakera: warna semasa anter membengang/ <i>Only anemone type varieties: Disc: colour at anther dehiscence</i>	Perang kuning (Rujukan RHS: 165C)/ <i>Yellow brown (RHS Reference: 165C)</i>
57.	<u>Hanya varieti jenis anemone</u> : Floret cakera: jenis/ <i>Only anemone type varieties: Disc floret: type</i>	Bentuk tiub mengembang/ <i>Enlarged tubular</i>
58.	<u>Hanya varieti jenis anemone</u> : Floret cakera: panjang/ <i>Only anemone type varieties: Disc floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
59.	<u>Hanya varieti jenis anemone</u> : Floret cakera: warna/ <i>Only anemone type varieties: Disc floret: colour</i>	Perang kuning cerah dan perang cerah (Rujukan RHS: 162D dengan N170B di dalam mulut tiub)/ <i>Light yellow brown and light brown</i> (<i>RHS Reference: 162D with N170B in the mouth of the tube</i>)

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Kekwa 'DLFLICI6'/ <i>Characteristics of 'DLFLICI6'</i> <i>Chrysanthemum</i>
60.	Kumpulan respons (ditanam di bawah kawalan tempoh siang secara tepat)/ <i>Response group (grown with precise daylength control)</i>	8 minggu/ <i>8 weeks</i>

Bertarikh 12 November 2021

Dated 12 November 2021

[KP/LA/PVBT 018/18; PN(PU2)667/XVII]

DATO' ZAHIMI BIN HASSAN

*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*