



21 Mei 2020
21 May 2020
P.U. (B) 232

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION
FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant* : Deliflor Royalties B. V.

Nama pengenalan varieti/*Variety denomination*: Deliestrella

No. rujukan fail pemohon/*Applicant file reference no.*: PVB T 007/15

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Sederhana ke tinggi/ <i>Medium to tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil/ <i>Small</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length length to width</i>	Sederhana ke tinggi/ <i>Medium to high</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Dalam/ <i>Deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bersentuhan/ <i>Touching</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Obtus/ <i>Obtuse</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Banyak ke sangat banyak/ <i>Many to a lot</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Dalam/ <i>Deep</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Kubah dalam/ <i>Deeply domed</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: lebar pada bahagian paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at the widest point</i>	Sempit/ <i>Narrow</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Sederhana/ <i>Medium</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Separa menegak/ <i>Semi upright</i>
22.	Hanya untuk varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>For non-bushy varieties only: total number of flower heads per stem</i>	Sedikit/ <i>Few</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Rujukan RHS: Kuning-Hijau 149D/ <i>RHS Reference: Yellow-Green 149D</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Besar/ <i>Large</i>
26.	Kuntum bunga: ketinggian (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sederhana ke tinggi/ <i>Medium to high</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Sederhana ke panjang/ <i>Medium to long</i>
28.	Hanya untuk varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>For daisy-eyed double and double varieties only: Flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Dua/ <i>Two</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Spatulat/ <i>Spatulate</i>
31.	Kuntum bunga: jenis floret jejari sekunder/ <i>Flower head: secondary type of ray floret</i>	Ligulat/ <i>Ligulate</i>
32.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
33.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Sederhana/ <i>Medium</i>
34.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cembung yang sederhana/ <i>Moderately convex</i>
35.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolusi yang lemah/ <i>Weakly revolute</i>
36.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
37.	Floret jejari: profil tiub (floret berbentuk corong, spatulat dan bulu pelepah)/ <i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>	Bentuk segi tiga/ <i>Triangular</i>
38.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
39.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Seperempat bahagian distal/ <i>Distal quarter</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
40.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah ke sederhana/ <i>Weak to medium</i>
41.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
42.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): bahagian tidak lurus (floret tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row): part not straight (non-straight florets)</i>	Setengah bahagian distal ke tiga perempat bahagian distal/ <i>Distal half to distal three quarters</i>
43.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): kekuatan kelengkungan (floret tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row): strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
44.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana ke panjang/ <i>Medium to long</i>
45.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sangat lebar/ <i>Very broad</i>
46.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah/ <i>Low</i>
47.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Lasiniat/ <i>Laciniate</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Deliestrella/ <i>Characteristics of Deliestrella</i>
48.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
49.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: Putih NN155C/ <i>RHS Reference: White NN155C</i>
50.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
51.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian dalam pada baris dalam (jika berbeza dengan baris luar)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: colour of inner side of inner row(s) (if different from outer row)</i>	Rujukan RHS: Putih 155C/ <i>RHS Reference: White 155C</i>
52.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian luar pada baris dalam (jika berbeza dengan baris luar)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: colour of outer side of inner row(s) (if different from outer row)</i>	Rujukan RHS: Kuning-Hijau 149D/ <i>RHS Reference: Yellow-Green 149D</i>
53.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise daylength control)</i>	7.5 minggu/ <i>7.5 weeks</i>

Bertarikh 5 Mei 2020

Dated 5 May 2020

[KP/LA/483/18/1 Jld. 3; PN(PU2)667/XV]

MOHD NASIR BIN WARRIS
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*