



21 Mei 2020  
21 May 2020  
P.U. (B) 231

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN  
PENDAFTARAN VARIETI BARU TUMBUHAN DAN  
PEMBERIAN HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION  
FOR REGISTRATION OF NEW PLANT VARIETY AND  
GRANT OF BREEDER'S RIGHT*

DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN  
PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND  
GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant* : Deliflor Royalties B. V.

Nama pengenalan varieti/*Variety denomination*: Delisweta

No. rujukan fail pemohon/*Applicant file reference no.*: PVB T 003/14

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>  | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i> |
|--------------|--|---|
| 1.           | Pokok: ketinggian/<br><i>Plant: height</i>   | Tinggi/<br><i>Tall</i>                                      |
| 2.           | Pokok: jenis/<br><i>Plant: type</i>  | Tidak rimbun/<br><i>Non-bushy</i>                           |
| 3.           | Batang: warna/<br><i>Stem: colour</i>  | Hijau/<br><i>Green</i>                                      |
| 4.           | Stipul: saiz/<br><i>Stipule: size</i>  | Besar/<br><i>Large</i>                                      |
| 5.           | Petiol: sifat/<br><i>Petiole: attitude</i>   | Sederhana menegak/<br><i>Moderately upwards</i>             |
| 6.           | Petiol: panjang relatif kepada panjang daun/<br><i>Petiole: length relative to leaf length</i> | Sederhana ke panjang/<br><i>Medium to long</i>              |

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>  | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i> |
|--------------|--|---|
| 7.           | Daun: panjang termasuk petiol/<br><i>Leaf: length including petiole</i>  | Sederhana/<br><i>Medium</i>                                 |
| 8.           | Daun: lebar/<br><i>Leaf: width</i>   | Sempit ke sederhana/<br><i>Narrow to medium</i>             |
| 9.           | Daun: nisbah panjang kepada lebar/<br><i>Leaf: ratio of length to width</i>  | Sederhana/<br><i>Medium</i>                                 |
| 10.          | Daun: panjang lobus terminal berbanding dengan panjang daun/<br><i>Leaf: length of terminal lobe relative to leaf length</i> | Pendek ke sederhana/<br><i>Short to medium</i>              |
| 11.          | Daun: kedalaman sinus sisi paling bawah/<br><i>Leaf: depth of the lowest lateral sinus</i>                                   | Sederhana ke dalam/<br><i>Medium to deep</i>                |
| 12.          | Daun: margin sinus sisi paling bawah/<br><i>Leaf: margins of the lowest lateral sinus</i>                                    | Menumpu/<br><i>Converging</i>                               |
| 13.          | Daun: bentuk pangkal paling dominan/<br><i>Leaf: predominant shape of base</i>   | Bulat/<br><i>Rounded</i>                                    |
| 14.          | Daun: kilauan pada permukaan atas/<br><i>Leaf: glossiness of upper side</i>  | Lemah/<br><i>Weak</i>                                       |
| 15.          | Daun: warna hijau pada permukaan atas/<br><i>Leaf: green colour of upper side</i>  | Sederhana/<br><i>Medium</i>                                 |
| 16.          | Margin daun: bilangan lekukan/<br><i>Leaf margin: number of indentations</i>   | Sedikit ke sederhana/<br><i>Few to medium</i>               |
| 17.          | Margin daun: kedalaman lekukan/<br><i>Leaf margin: depth of indentations</i>   | Sederhana/<br><i>Medium</i>                                 |
| 18.          | Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/<br><i>For non-bushy varieties only: Inflorescence: form</i>          | Kubah dalam/<br><i>Deeply domed</i>                         |

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>  | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i>                          |
|--------------|--|--|
| 19.          | Hanya untuk varieti tidak rimbun: Jambak bunga: lebar pada bahagian paling lebar/<br><i>For non-bushy varieties only: Inflorescence: width at the widest point</i>                                 | Sempit ke sederhana/<br><i>Narrow to medium</i>                                      |
| 20.          | Hanya untuk varieti tidak rimbun: Jambak bunga: sudut diantara pucuk sisi utama dan batang/<br><i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>    | Kecil/<br><i>Small</i>   |
| 21.          | Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/<br><i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>                                   | Menegak ke separa menegak/<br><i>Upright to semi upright</i>                         |
| 22.          | Hanya untuk varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/<br><i>For non-bushy varieties only: total number of flower heads per stem</i>                                   | Banyak/<br><i>Many</i>   |
| 23.          | Kudup bunga: warna bahagian luar sebelum terbuka/<br><i>Flower bud: colour of outer side just before opening</i>   | Rujukan RHS: <i>Greyed-Purple 186C</i> /<br><i>RHS Reference: Greyed-Purple 186C</i> |
| 24.          | Kuntum bunga: jenis/<br><i>Flower head: type</i>   | Berganda/<br><i>Double</i>   |
| 25.          | Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/<br><i>Flower head: diameter (non-disbudded plants)</i>  | Kecil ke sederhana/<br><i>Small to medium</i>  |
| 26.          | Kuntum bunga: ketinggian (pokok jenis tidak dibuang tunas)/<br><i>Flower head: height (non-disbudded plants)</i>   | Sederhana/<br><i>Medium</i>  |
| 27.          | Kuntum bunga: panjang pedunkel/<br><i>Flower head: length of peduncle</i>  | Sangat pendek ke pendek/<br><i>Very short to short</i>                               |
| 28.          | Hanya untuk varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan jejari floret/<br><i>For daisy-eyed double and double varieties only: Flower head: density of ray floret</i> | Jarang ke sederhana/<br><i>Sparse to medium</i>                                      |

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>   | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i> |
|--------------|---|---|
| 29.          | Kuntum bunga: bilangan jenis floret jejari/<br><i>Flower head: number of types of ray florets</i>   | Dua/<br><i>Two</i>  |
| 30.          | Kuntum bunga: jenis floret jejari paling dominan/<br><i>Flower head: predominant type of ray floret</i>   | Ligulat/<br><i>Ligulate</i>                                 |
| 31.          | Kuntum bunga: jenis floret jejari sekunder/<br><i>Flower head: secondary type of ray floret</i>   | Spatulat/<br><i>Spatulate</i>                               |
| 32.          | Floret jejari: permukaan atas/<br><i>Ray floret: upper surface</i>  | Berkedut/<br><i>Ribbed</i>                                  |
| 33.          | Floret jejari: panjang tiub korolla/<br><i>Ray floret: length of corolla tube</i>   | Rendah/<br><i>Short</i>                                     |
| 34.          | Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/<br><i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i> | Bentuk cembung yang lemah/<br><i>Weakly convex</i>          |
| 35.          | Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/<br><i>Ray floret: rolling of margin (non-quilled florets)</i>  | Involusi yang sederhana/<br><i>Moderately involute</i>      |
| 36.          | Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/<br><i>Ray floret: position of part with rolled margin (non-quilled florets)</i>              | Setengah bahagian basal/<br><i>Basal half</i>               |
| 37.          | Floret jejari: profil tiub ( floret berbentuk corong, spatulat dan bulu pelepah)/<br><i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>                          | Mendatar/<br><i>Flattened</i>                               |
| 38.          | Floret jejari: paksi membujur/<br><i>Ray floret: longitudinal axis</i>  | Melengkung ke luar/<br><i>Reflexing</i>                     |
| 39.          | Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/<br><i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>                          | Setengah bahagian distal/<br><i>Distal half</i>             |

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>  | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i>                                   |
|--------------|--|---|
| 40.          | Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/<br><i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>   | Sederhana/<br><i>Medium</i>   |
| 41.          | Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar)/<br><i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row)</i>   | Melengkung ke dalam/<br><i>Incurving</i>  |
| 42.          | Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): bahagian tidak lurus (floret tidak lurus)/<br><i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row): part not straight (non-straight florets)</i>      | Bahagian paling hujung ke seperempat bahagian distal/<br><i>Extreme tip to distal quarter</i> |
| 43.          | Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): kekuatan kelengkungan (floret tidak lurus)/<br><i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row(s) (if different from outer row): strength of curvature (non-straight florets)</i> | Lemah/<br><i>Weak</i>   |
| 44.          | Floret jejari: panjang/<br><i>Ray floret: length</i>   | Rendah ke sederhana/<br><i>Short to medium</i>  |
| 45.          | Floret jejari: lebar/<br><i>Ray floret: width</i>  | Sempit ke sederhana/<br><i>Narrow to medium</i>   |
| 46.          | Floret jejari: nisbah panjang kepada lebar/<br><i>Ray floret: ratio of length to width</i>   | Rendah ke sederhana/<br><i>Low to medium</i>  |

| Bil./<br>No. | Ciri-ciri Varieti/<br><i>Characteristics of Variety</i>   | Ciri-ciri Delisweta/<br><i>Characteristics of Delisweta</i>                                      |
|--------------|---|--|
| 47.          | Floret jejari: bentuk bahagian hujung/<br><i>Ray floret: shape of tip</i>   | Membulat/<br><i>Rounded</i>  |
| 48.          | Floret jejari: jumlah warna pada bahagian dalam/<br><i>Ray floret: number of colours of inner side</i>  | Satu/<br><i>One</i>  |
| 49.          | Floret jejari: warna utama di bahagian dalam/<br><i>Ray floret: main colour of inner side</i>   | Rujukan RHS: Ungu 76C tetapi merah sedikit/<br><i>RHS Reference: Purple 76C but slightly red</i> |
| 50.          | Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/<br><i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>                                     | Serupa/<br><i>Similar</i>  |
| 51.          | Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian dalam pada baris dalam (jika berbeza dengan baris luar)/<br><i>For semi double, daisy-eyed double and double varieties only: Ray floret: colour of inner side of inner row(s) (if different from outer row)</i> | Rujukan RHS: Ungu 75B/<br><i>RHS Reference: Purple 75B</i>                                       |
| 52.          | Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: warna di bahagian luar pada baris dalam (jika berbeza dengan baris luar)/<br><i>For semi double, daisy-eyed double and double varieties only: Ray floret: colour of outer side of inner row(s) (if different from outer row)</i>  | Rujukan RHS: Ungu 75B/<br><i>RHS Reference: Purple 75B</i>                                       |
| 53.          | Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/<br><i>Response group (grown with precise daylength control)</i>   | 7.5 minggu/<br><i>7.5 weeks</i>  |

Bertarikh 5 Mei 2020

*Dated 5 May 2020*

[KP/LA/483/18/1 Jld. 3; PN(PU2)667/XV]

MOHD NASIR BIN WARRIS

*Pengerusi Lembaga Varieti Tumbuhan/  
Chairman of the Plant Varieties Board*