



31 Januari 2020
31 January 2020
P.U. (B) 89

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN
HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND GRANT
OF BREEDER'S RIGHT*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Bonza Botanicals Pty Ltd.

Nama pengenalan varieti/*Variety denomination*: BONPRI 515

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 020/17

Tanaman/*Crops*: Poinsettia/*Poinsettia*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri BONPRI 515/ <i>Characteristics of BONPRI 515</i>
1.	Pokok: dahan/ <i>Plant: branching</i>	Ada/ <i>Present</i>
2.	Pokok: bilangan dahan/ <i>Plant: number of branches</i>	Sederhana/ <i>Medium</i>
3.	Pokok: tinggi/ <i>Plant: height</i>	Sangat pendek/ <i>Very short</i>
4.	Pokok: lebar/ <i>Plant: width</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>
5.	Batang: keamatan warna hijau pada bahagian satu per tiga tengah/ <i>Stem: intensity of green colour on middle third</i>	Kuat/ <i>Strong</i>
6.	Batang: keamatan pewarnaan antosianin pada bahagian satu per tiga tengah/ <i>Stem: intensity of anthocyanin colouration of middle third</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri BONPRI 515/ <i>Characteristics of BONPRI 515</i>
7.	Batang : pewarnaan antosianin pada bahagian satu per tiga atas/ <i>Stem: anthocyanin colouration on upper third</i>	Tiada atau lemah/ <i>Absent or weak</i>
8.	Lai daun: panjang/ <i>Leaf blade: length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
9.	Lai daun: lebar/ <i>Leaf blade: width</i>	Sangat sempit/ <i>Very narrow</i>
10.	Lai daun: bentuk/ <i>Leaf blade: shape</i>	Ovat/ <i>Ovate</i>
11.	Lai daun: bentuk bahagian pangkal <i>Leaf blade: shape of base</i>	Membulat/ <i>Rounded</i>
12.	Lai daun: bilangan warna pada bahagian atas/ <i>Leaf blade: number of colours on upper side</i>	Satu/ <i>One</i>
13.	Hanya untuk varieti yang mempunyai daun satu warna: Lai daun: keamatan warna hijau/ <i>For varieties with one coloured leaves only: Leaf blade: intensity of green colour</i>	Sederhana/ <i>Medium</i>
14.	Lai daun: warna urat utama pada bahagian atas/ <i>Leaf blade: colour of main vein on upper side</i>	Hanya hijau/ <i>Only green</i>
15.	Lai daun: bilangan lobus/ <i>Leaf blade: number of lobes</i>	Sederhana/ <i>Medium</i>
16.	Lai daun: kedalaman bahagian sinus paling dalam/ <i>Leaf blade: depth of the deepest sinus</i>	Sangat cetek ke cetek/ <i>Very shallow to shallow</i>
17.	Lai daun: kelengkungan urat utama/ <i>Leaf blade: curvature of main vein</i>	Tiada atau lemah/ <i>Absent or weak</i>
18.	Petiol: panjang/ <i>Petiole: length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri BONPRI 515/ <i>Characteristics of BONPRI 515</i>
19.	Petiol: keamatan warna hijau pada permukaan atas/ <i>Petiole: intensity of green colour on upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
20.	Petiol: pewarnaan antosianin pada permukaan atas/ <i>Petiole: anthocyanin colouration on upper side</i>	Sangat lemah ke lemah/ <i>Very weak to weak</i>
21.	Petiol: pewarnaan antosianin pada bahagian bawah/ <i>Petiole: anthocyanin colouration on lower side</i>	Tiada atau lemah/ <i>Absent or weak</i>
22.	Daun transisi: bilangan lai daun dengan sebahagian warna brakta/ <i>Transitional leaves: number of partly bract-coloured leaf blades</i>	Sedikit ke sederhana/ <i>Few to medium</i>
23.	Daun transisi: bilangan lai daun dengan sepenuhnya warna brakta/ <i>Transitional leaves: number of fully bract-coloured leaf blades</i>	Sedikit ke sederhana/ <i>Few to medium</i>
24.	Daun transisi: lobus/ <i>Transitional leaves: lobe</i>	Tiada atau lemah/ <i>Absent or weak</i>
25.	Daun transisi: kelengkungan sepanjang urat utama lai daun dengan sepenuhnya warna brakta/ <i>Transitional leaves: curvature along main vein of fully bract-coloured leaf blade</i>	Tiada atau lemah/ <i>Absent or weak</i>
26.	Brakta: bilangan/ <i>Bract: number</i>	Sangat sedikit ke sedikit/ <i>Very few to few</i>
27.	Brakta terbesar: panjang (termasuk petiol)/ <i>Largest bract: length (including petiole)</i>	Sangat pendek/ <i>Very short</i>
28.	Brakta terbesar: lebar/ <i>Largest bract: width</i>	Sangat sempit/ <i>Very narrow</i>
29.	Brakta terbesar: bentuk/ <i>Largest bract: shape</i>	Eliptik/ <i>Elliptic</i>
30.	Brakta: bilangan warna pada bahagian atas/ <i>Bract: number of colours on upper side</i>	Satu/ <i>One</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri BONPRI 515/ <i>Characteristics of BONPRI 515</i>
31.	Hanya untuk varieti dengan brakta satu warna: Brakta: warna pada bahagian atas/ <i>For varieties with one coloured bract only: Bract: colour of upper side</i>	Rujukan RHS: Ungu-Merah N57A/ <i>RHS Reference: Purple-Red N57A</i>
32.	Brakta: tompokan pada permukaan atas/ <i>Bract: spotting of upper side</i>	Tiada/ <i>Absent</i>
33.	Hanya untuk varieti dengan brakta satu warna: Brakta: warna pada bahagian bawah/ <i>For varieties with one coloured bract only: Bract: colour of lower side</i>	Rujukan RHS: Ungu-Merah N57C/D/ <i>RHS Reference: Purple-Red N57C/D</i>
34.	Brakta: lipatan sepanjang urat utama/ <i>Bract: folding along the main vein</i>	Tiada/ <i>Absent</i>
35.	Brakta: kepintalan/ <i>Bract: twisting</i>	Tiada/ <i>Absent</i>
36.	Brakta: kekedutan permukaan antara urat/ <i>Bract: rugosity between veins</i>	Lemah ke sederhana/ <i>Weak to medium</i>
37.	Cymen: lebar/ <i>Cymen: width</i>	Sangat sempit/ <i>Very narrow</i>

Bertarikh 16 Disember 2019

Dated 16 December 2019

[KP/LA/483/18/1]ld.3; PN(PU2)667/XVI]

MOHD NASIR BIN WARRIS
*Pengerusi Lembaga Varieti Tumbuhan/
 Chairman of the Plant Varieties Board*