



31 Januari 2020
31 January 2020
P.U. (B) 85

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN
PENDAFTARAN VARIETI BARU TUMBUHAN DAN
PEMBERIAN HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION OF
NEW PLANT VARIETY AND GRANT
OF BREEDER'S RIGHT*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Dekker Breeding B. V.

Nama pengenalan varieti/*Variety denomination*: DEKWASABI

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 025/13

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Besar/ <i>Large</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek ke sederhana/ <i>Short to medium</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana/ <i>Medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana/ <i>Medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Pendek ke sederhana/ <i>Short to medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Mencapah/ <i>Diverging</i>
13.	Daun: bentuk pangkal daun paling dominan/ <i>Leaf: predominant shape of base</i>	Obtus/ <i>Obtuse</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sedikit/ <i>Few</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Cetek ke sederhana/ <i>Shallow to medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
18.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Rujukan RHS: Kuning-Hijau N144D/ <i>RHS Reference: Yellow-Green N144D</i>
19.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
20.	Kuntum bunga: garis pusat (pokok jenis dibuang tunas)/ <i>Flower head: diameter (disbudded plants)</i>	Sangat kecil ke kecil/ <i>Very small to small</i>
21.	Kuntum bunga: ketinggian (pokok jenis dibuang tunas)/ <i>Flower head: height (disbudded plants)</i>	Rendah/ <i>Low</i>
22.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek/ <i>Short</i>
23.	Hanya untuk varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>For daisy-eyed double and double varieties only: Flower head: density of ray florets</i>	Padat/ <i>Dense</i>
24.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Dua/ <i>Two</i>
25.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
26.	Kuntum bunga: jenis floret jejari sekunder/ <i>Flower head: secondary type of ray floret</i>	Spatulat/ <i>Spatulate</i>
27.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
28.	Floret jejari: panjang tiub korolla/ <i>Ray floret: length of corolla tube</i>	Pendek ke sederhana/ <i>Short to medium</i>
29.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cekung yang sederhana/ <i>Moderately concave</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
30.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolusi yang lemah/ <i>Weakly revolute</i>
31.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Tiga perempat bahagian distal/ <i>Distal three quarter</i>
32.	Floret jejari: profil tiub (floret berbentuk corong, spatulat dan bulu pelepah)/ <i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>	Mendatar/ <i>Flattened</i>
33.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
34.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Seperempat bahagian distal ke setengah bahagian distal/ <i>Distal quarter to distal half</i>
35.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Sederhana ke kuat/ <i>Medium to strong</i>
36.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
37.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): bahagian tidak lurus (floret tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row): part not straight (non-straight florets)</i>	Seperempat bahagian distal ke setengah bahagian distal/ <i>Distal quarter to distal half</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
38.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): kekuatan kelengkungan (florete tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row): strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
39.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
40.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>
41.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Tinggi/ <i>Tall</i>
42.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Dentat/ <i>Dentate</i>
43.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
44.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: Kuning-Hijau 144D/ <i>RHS Reference: Yellow-Green 144D</i>
45.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Ketara berbeza/ <i>Markedly different</i>
46.	Foret jejari: warna bahagian luar jika ketara berbeza dengan bahagian dalam/ <i>Ray floret: colour of the outer side, where markedly different to inner side</i>	Rujukan RHS: Kuning-Hijau 145A/ <i>RHS Reference: Yellow-Green 145A</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri DEKWASABI/ <i>Characteristics of DEKWASABI</i>
47.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 23 Januari 2020

Dated 23 January 2020

[KP/LA/483/18/1 Jld. 3; PN(PU2)667/XV]

MOHD NASIR BIN WARRIS
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*