



16 Januari 2020  
16 January 2020  
P.U. (B) 30

# WARTA KERAJAAN PERSEKUTUAN

## *FEDERAL GOVERNMENT GAZETTE*

### PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK PEMBIAK BAKA

### *NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND GRANT OF BREEDER'S RIGHT*

DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN  
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan telah dibuat bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka sebagaimana yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY  
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application has been made for the registration of a new plant variety and grant of a breeder's right as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Universiti Kebangsaan Malaysia/The National University of Malaysia

Nama pengenalan varieti/*Variety denomination*: CB DELITES 3

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 050/13

Tanaman/*Crops*: Cili/*Chilli*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
1.	Anak benih: pewarnaan antosianin pada hipokotil/ <i>Seedling: anthocyanin colouration of hypocotyl</i>	Ada/ <i>Present</i>
2.	Pokok: tabiat/ <i>Plant: habit</i>	Separa menegak/ <i>Semi-upright</i>
3.	Pokok: ketinggian/ <i>Plant: height</i>	Sederhana/ <i>Medium</i>
4.	Pokok: panjang batang/ <i>Plant: length of stem</i>	Sederhana/ <i>Medium</i>
5.	Pokok: ruas memendek (pada bahagian atas)/ <i>Plant: shortened internode (in upper part)</i>	Tiada/ <i>Absent</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
6.	Varieti tanpa ruas memendek: pokok: panjang ruas (pada dahan pertama selepas paksi utama)/ <i>Varieties without shortened internode: plant: length of internode (on the first branching of the main axis)</i>	Sederhana/ <i>Medium</i>
7.	Pokok: pewarnaan antosianin pada buku/ <i>Plant: anthocyanin colouration of nodes</i>	Ada/ <i>Present</i>
8.	Batang: keamatan pewarnaan antosianin pada buku/ <i>Stem: intensity of anthocyanin colouration of nodes</i>	Sederhana/ <i>Medium</i>
9.	Batang: kehadiran pubesen pada buku/ <i>Stem: pubescence of nodes</i>	Lemah/ <i>Weak</i>
10.	Daun: panjang lai daun/ <i>Leaf: length of blade</i>	Sederhana/ <i>Medium</i>
11.	Daun: lebar lai daun/ <i>Leaf: width of blade</i>	Sederhana ke lebar/ <i>Medium to broad</i>
12.	Daun: keamatan warna hijau/ <i>Leaf: intensity of green colour</i>	Sederhana/ <i>Medium</i>
13.	Daun: pewarnaan antosianin/ <i>Leaf: anthocyanin colouration</i>	Tiada/ <i>Absent</i>
14.	Daun: bentuk/ <i>Leaf: shape</i>	Lanseolat/ <i>Lanceolate</i>
15.	Daun: kealunan sisi/ <i>Leaf: undulation of margin</i>	Sangat lemah ke lemah/ <i>Very weak to weak</i>
16.	Daun: melepuh/ <i>Leaf: blistering</i>	Lemah/ <i>Weak</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
17.	Daun: profil keratan rentas/ <i>Leaf: profile in cross section</i>	Sederhana cekung/ <i>Moderately concave</i>
18.	Daun: kekilatan/ <i>Leaf: glossiness</i>	Lemah/ <i>Weak</i>
19.	Bunga: sifat pedunkel/ <i>Flower: peduncle nature</i>	Melempai/ <i>Drooping</i>
20.	Bunga: kedudukan stigma/ <i>Flower: stigma exertion</i>	Separas/ <i>Same level</i>
21.	Bunga: pewarnaan antosianin pada anter/ <i>Flower: anthocyanin colouration in anther</i>	Ada/ <i>Present</i>
22.	Bunga: pewarnaan antosianin pada filamen/ <i>Flower: anthocyanin colouration in filament</i>	Tiada/ <i>Absent</i>
23.	Bunga: warna sekunder korola/ <i>Flower: secondary colour of corolla</i>	Tiada/ <i>Absent</i>
24.	Buah: warna sebelum matang/ <i>Fruit: colour before maturity</i>	Hijau/ <i>Green</i>
25.	Buah: keamatan warna sebelum matang/ <i>Fruit: intensity of colour before maturity</i>	Sederhana/ <i>Medium</i>
26.	Buah: pewarnaan antosianin/ <i>Fruit: anthocyanin colouration</i>	Tiada/ <i>Absent</i>
27.	Buah: sifat/ <i>Fruit: nature</i>	Melempai/ <i>Drooping</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
28.	Buah: panjang/ <i>Fruit: length</i>	Sederhana ke panjang/ <i>Medium to long</i>
29.	Buah: garis pusat/ <i>Fruit: diameter</i>	Lebar/ <i>Broad</i>
30.	Buah: nisbah panjang kepada garis pusat/ <i>Fruit: ratio of length to diameter</i>	Kecil ke sederhana/ <i>Small to medium</i>
31.	Buah: bentuk keratan memanjang/ <i>Fruit: shape in longitudinal section</i>	Segi tiga tirus/ <i>Narrowly triangular</i>
32.	Buah: berpintal/ <i>Fruit: twisting</i>	Tiada/ <i>Absent</i>
33.	Buah: bentuk keratan rentas (pada paras plasenta)/ <i>Fruit: shape in cross section (at level of placenta)</i>	Eliptik/ <i>Elliptic</i>
34.	Buah: lekukan perikap pada bahagian pangkal/ <i>Fruit: sinuation of pericarp at basal part</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
35.	Buah: lekukan perikap tidak termasuk bahagian pangkal/ <i>Fruit: sinuation of pericarp excluding basal part</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
36.	Buah: tekstur permukaan/ <i>Fruit: texture of surface</i>	Licin atau sangat sedikit berkedekut/ <i>Smooth or very slightly wrinkled</i>
37.	Buah: warna pada peringkat matang/ <i>Fruit: colour at maturity</i>	Merah/ <i>Red</i>
38.	Buah: keamatan warna pada peringkat matang/ <i>Fruit : intensity of colour at maturity</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
39.	Buah: kekilatan/ <i>Fruit: glossiness</i>	Sederhana/ <i>Medium</i>
40.	Buah: rongga pada tangkai/ <i>Fruit: stalk cavity</i>	Tiada/ <i>Absent</i>
41.	Buah: bentuk apeks/ <i>Fruit: shape of apex</i>	Sederhana akut/ <i>Moderately acute</i>
42.	Buah matang: kedalaman alur pada perantaraan lokul/ <i>Fruit: depth of interloculary grooves</i>	Tiada atau sangat cetek/ <i>Absent or very shallow</i>
43.	Buah: bilangan lokul/ <i>Fruit: number of locules</i>	Dua paling dominan/ <i>Predominantly two</i>
44.	Buah: ketebalan isi/ <i>Fruit: thickness of flesh</i>	Sederhana/ <i>Medium</i>
45.	Tangkai: panjang/ <i>Stalk: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
46.	Tangkai: ketebalan/ <i>Stalk: thickness</i>	Sederhana/ <i>Medium</i>
47.	Kaliks: sifat/ <i>Calyx: aspect</i>	Bersampul/ <i>Enveloping</i>
48.	Buah: hanya untuk varieti yang mempunyai kapsisin di dalam placenta: keamatan kapsisin/ <i>Fruit: for varieties with capsaicin in placenta present only: intensity of capsaicin</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri CB DELITES 3/ <i>Characteristics of CB DELITES 3</i>
49.	Masa pemulaan pembungaan (bagi bunga pertama pada buku pembungaan kedua)/ <i>Time of beginning of flowering (first flower on second flowering node)</i>	Sederhana/ <i>Medium</i>

Bertarikh 19 Disember 2019

*Dated 19 December 2019*

[KP/LA/483/18/1 ]ld. 1; PN(PU2)667/XV]

MOHD NASIR BIN WARRIS

*Pengerusi Lembaga Varieti Tumbuhan/*

*Chairman of the Plant Varieties Board*