



18 April 2019
18 April 2019
P.U. (B) 189

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN
HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

JADUAL/*SCHEDULE*

Nama pemohon/*Name of applicant* : Dekker Breeding B.V.

Nama pengenalan varieti/*Variety denomination*: Dekcato

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 027/17

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Tiada atau sangat kecil/ <i>Absent or very small</i>
5.	Petiol: sifat/ <i>Petiole: nature</i>	Sederhana menegak/ <i>Moderately upwards</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
6.	Petiol: panjang berbanding dengan panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek ke sederhana/ <i>Short to medium</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana ke panjang/ <i>Medium to long</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana ke lebar/ <i>Medium to broad</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Kordat/ <i>Cordate</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Gelap/ <i>Dark</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sedikit ke sederhana/ <i>Few to medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana ke dalam/ <i>Medium to deep</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: kelebaran pada bahagian yang paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at the widest point</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dengan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Sederhana/ <i>Medium</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Separa menegak/ <i>Semi upright</i>
22.	Hanya untuk varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>For non-bushy varieties only: total number of flower heads per stem</i>	Sederhana/ <i>Medium</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Rujukan RHS: Greyed-Orange N167D tetapi sedikit pucat/ <i>RHS Reference: Greyed-Orange N167D but slightly paler</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi double</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana/ <i>Medium</i>
26	Kuntum bunga: ketinggian (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek ke sederhana/ <i>Short to medium</i>
28.	Hanya untuk varieti separa berganda dan varieti berganda mata daisi: Kuntum bunga: bilangan baris floret jejari/ <i>For semi double and daisy-eyed double varieties only: Flower head: number of rows of ray florets</i>	Sangat sedikit ke sedikit/ <i>Very few to few</i>
29.	Hanya untuk varieti tunggal dan varieti separa berganda: Kuntum bunga: bilangan floret jejari/ <i>For single and semi double varieties only: Flower head: number of ray florets</i>	Sedikit ke sederhana/ <i>Few to medium</i>
30.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu / <i>One</i>
31.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
32.	Hanya untuk varieti tunggal dan varieti separa berganda: Floret jejari: sifat bahagian pangkal/ <i>For single and semi double varieties only: Ray floret: attitude of basal part</i>	Menghala ke atas secara sederhana/ <i>Moderately ascending</i>
33.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
34.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
35.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/	Bentuk cembung yang lemah/ <i>Weakly convex</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
	<i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	
36.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Involusi yang lemah/ <i>Weakly involute</i>
37.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian pangkal/ <i>Basal half</i>
38.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
39.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
40.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
41.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
42.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana ke luas/ <i>Medium to broad</i>
43.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah/ <i>Low</i>
44.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Mamilat/ <i>Mamillate</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
45.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
46.	Floret jejari: warna utama pada bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: di antara Greyed-Orange 163A dengan 163B/ <i>RHS Reference: between Greyed-Orange 163A and 163B</i>
47.	Floret jejari: warna pada bahagian luar dibandingkan dengan warna pada bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
48.	Hanya untuk varieti tunggal dan varieti separa berganda bagi jenis daisi: Cakera: garis pusat/ <i>For single and semi double varieties which are daisy type only: Disc: diameter</i>	Sederhana/ <i>Medium</i>
49.	Hanya untuk varieti tunggal dan varieti separa berganda: Cakera: garis pusat cakera berbanding dengan garis pusat kuntum bunga/ <i>For single and semi double varieties only: Disc: diameter relative to head diameter</i>	Sederhana/ <i>Medium</i>
50.	Hanya untuk varieti jenis daisi: Cakera: profil keratan rentas/ <i>For daisy type varieties only: Disc: profile in cross section</i>	Sedikit berkon/ <i>Slightly conical</i>
51.	Hanya untuk varieti jenis daisi: Cakera: kumpulan warna sebelum anter membengang/ <i>For daisy type varieties only: Disc: colour group before anther dehiscence</i>	Hijau/ <i>Green</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekcato/ <i>Characteristics of Dekcato</i>
52.	Hanya untuk varieti jenis daisi: Cakera: kewujudan tompok gelap pada bahagian tengah sebelum anter membengang/ <i>For daisy type varieties only: Disc: presence of dark spot at center before anther dehiscence</i>	Tiada/ Absent
53.	Hanya untuk varieti jenis daisi: Cakera: kumpulan warna semasa anter membengang/ <i>For daisy type varieties only: Disc: colour group at anther dehiscence</i>	Hijau kekuningan/ <i>Yellowish green</i>
54.	Kumpulan respon (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7.5 minggu/ <i>7.5 weeks</i>

Bertarikh 8 April 2019

Dated 8 April 2019

[KP/LA/483/18/1]ld. 1; PN(PU2)667/XIII]

DATO' JAMAL HARIZAN BIN YANG RAZALI
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*