



3 Oktober 2018  
3 October 2018  
P.U. (B) 563

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN  
VARIETI BARU TUMBUHAN DAN PEMBERIAN  
HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION  
OF NEW PLANT VARIETY AND GRANT  
OF BREEDER'S RIGHT*

DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN DAN  
PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY AND  
GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: Delizarita Dark

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 025/14

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil/ <i>Small</i>
5.	Petiol: sifat/ <i>Petiole: nature</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Pendek ke sederhana/ <i>Short to medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana/ <i>Medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana/ <i>Medium</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Gelap/ <i>Dark</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Cetek/ <i>Shallow</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Bentuk kubah dalam/ <i>Deeply domed</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: kelebaran pada bahagian paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at the widest point</i>	Sempit/ <i>Narrow</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Sederhana/ <i>Medium</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Separa menegak/ <i>Semi upright</i>
22.	Hanya untuk varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>For non-bushy varieties only: total number of flower heads per stem</i>	Sederhana/ <i>Medium</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side before opening</i>	Rujukan RHS: di antara Greyed-Orange 164A dan 164B/ <i>RHS Reference: between Greyed-Orange 164A and 164B</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi double</i>
25.	Tidak termasuk varieti berganda dan varieti berganda mata-daisi: Cakera: jenis/ <i>Excluding double and daisy-eyed double varieties: Disc: type</i>	Daisi/ <i>Daisy</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana/ <i>Medium</i>
27.	Kuntum bunga: ketinggian (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>
28.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek ke sederhana/ <i>Short to medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
29.	Hanya untuk varieti separa berganda dan varieti berganda mata-daisi: Kuntum bunga: bilangan baris floret jejari/ <i>For semi double and daisy-eyed double varieties only: Flower head: number of rows of ray florets</i>	Sangat sedikit ke sedikit/ <i>Very few to few</i>
30.	Hanya untuk varieti tunggal dan varieti separa berganda: Kuntum bunga: bilangan floret jejari/ <i>For single and semi double varieties only: Flower head: number of ray florets</i>	Sedikit ke sederhana/ <i>Few to medium</i>
31.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
32.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
33.	Hanya untuk varieti tunggal dan varieti separa berganda: Floret jejari: sifat bahagian pangkal/ <i>For single and semi double varieties only: Ray floret: attitude of basal part</i>	Menghala ke atas secara sederhana ke mendatar/ <i>Moderately ascending to horizontal</i>
34.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
35.	Floret jejari: panjang tiub korol / <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
36.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cembung yang lemah/ <i>Weakly convex</i>
37.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Involusi yang lemah/ <i>Weakly involute</i>
38.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Tiga perempat bahagian pangkal/ <i>Basal three quarter</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
40.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Seperempat bahagian distal/ <i>Distal quarter</i>
41.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah ke sederhana/ <i>Weak to medium</i>
42.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>
43.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana ke lebar/ <i>Medium to broad</i>
44.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah/ <i>Low</i>
45.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Emarginat / <i>Emarginate</i>
46.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
47.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: Greyed-Orange N163A tetapi lebih kuning sedikit/ <i>RHS Reference: Greyed-Orange N163A but slightly more yellow</i>
48.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Ketara berbeza/ <i>Markedly different</i>
49.	Floret jejari: warna bahagian yang ketara berbeza dengan bahagian dalam/ <i>Ray floret: colour of the outer side, where markedly different to inner side</i>	Rujukan RHS: Greyed-Yellow 162A tetapi lebih kuning sedikit/ <i>RHS Reference: Greyed-Yellow 162A but slightly more yellow</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Delizarita Dark/ <i>Characteristics of Delizarita Dark</i>
50.	Hanya untuk varieti tunggal dan varieti separa berganda bagi jenis daisi: Cakera: garis pusat/ <i>For single and semi double varieties which are daisy type only: Disc: diameter</i>	Sederhana/ <i>Medium</i>
51.	Hanya untuk varieti tunggal dan varieti separa berganda: Cakera: garis pusat cakera relatif kepada garis pusat kuntum bunga/ <i>For single and semi double varieties only: Disc: diameter relative to head diameter</i>	Kecil ke sederhana/ <i>Small to medium</i>
52.	Hanya untuk varieti jenis daisi: Cakera: profil keratan rentas/ <i>For daisy type varieties only: Disc: profile in cross section</i>	Sangat berkubah/ <i>Strongly domed</i>
53.	Hanya untuk varieti jenis daisi: Cakera: kumpulan warna sebelum anter membengang/ <i>For daisy type varieties only: Disc: colour group before anther dehiscence</i>	Hijau/ <i>Green</i>
54.	Hanya untuk varieti jenis daisi: Cakera: kehadiran tompok gelap pada bahagian tengah sebelum anter membengang/ <i>For daisy type varieties only: Disc: presence of dark spot at centre before anther dehiscence</i>	Tiada/ <i>Absent</i>
55.	Hanya untuk varieti jenis daisi: Cakera: kumpulan warna semasa anter membengang/ <i>For daisy type varieties only: Disc: colour group at anther dehiscence</i>	Hijau kekuningan/ <i>Yellowish green</i>
56.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 5 September 2018

*Dated 5 September 2018*

[KP/LA/483/18/1 Jld. 1; PN(PU2)667/XIII]

DATO' JAMAL HARIZAN BIN YANG RAZALI

*Pengerusi Lembaga Varieti Tumbuhan/*

*Chairman of the Plant Varieties Board*