



3 Oktober 2018
3 October 2018
P.U. (B) 555

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN
HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND
GRANT OF BREEDER'S RIGHT*

DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga dengan ini memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Dekker Breeding B.V.

Nama pengenalan varieti/*Variety denomination*: Dekmacaron Purple

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 022/14

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Sederhana ke tinggi/ <i>Medium to tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil/ <i>Small</i>
5.	Petiol: sifat/ <i>Petiole: nature</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek ke sederhana/ <i>Short to medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sederhana/ <i>Medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Sederhana/ <i>Medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Mencapah/ <i>Diverging</i>
13.	Daun: bentuk pangkal paling dominan/ <i>Leaf: predominant shape of base</i>	Obtus/ <i>Obtuse</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Cetek/ <i>Shallow</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Bentuk silinder/ <i>Cylindrical</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: kelebaran pada bahagian paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at the widest point</i>	Sangat sempit/ <i>Very narrow</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut di antara pucuk sisi utama dan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Kecil/ <i>Small</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Menegak/ <i>Upright</i>
22.	Hanya untuk varieti tidak rimbun: jumlah bilangan kuntum bunga pada setiap batang/ <i>For non-bushy varieties only: total number of flower heads per stem</i>	Sederhana/ <i>Medium</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Rujukan RHS: di antara Purple N79B dan N79C/ <i>RHS Reference: between Purple N79B and N79C</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: garis pusat (pokok jenis tidak dibuang tunas)/ <i>Flower head: diameter (non- disbudded plants)</i>	Kecil ke sederhana/ <i>Small to medium</i>
26.	Kuntum bunga: ketinggian (pokok jenis tidak dibuang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Pendek ke sederhana/ <i>Short to medium</i>
28.	Hanya untuk varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>For daisy-eyed double and double varieties only: Flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Lebih dari dua/ <i>More than two</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Kuntum bunga: jenis floret jejari sekunder/ <i>Flower head: secondary type of ray floret</i>	Spatulat/ <i>Spatulate</i>
32.	Kuntum bunga: jenis floret jejari tertier/ <i>Flower head: tertiary type of ray floret</i>	Berbentuk bulu pelepah/ <i>Quilled</i>
33.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
34.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
35.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at the widest point (non-quilled florets)</i>	Bentuk cembung yang lemah/ <i>Weakly convex</i>
36.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Mendatar (tidak bergulung)/ <i>Flat (not rolled)</i>
37.	Floret jejari: profil tiub (floret berbentuk corong, spatulat dan bulu pelepah)/ <i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>	Oblat/ <i>Oblate</i>
38.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke luar/ <i>Reflexing</i>
39.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Seperempat bahagian distal/ <i>Distal quarter</i>
40.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
41.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>
42.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): bahagian tidak lurus (florete tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row): part not straight (non-straight florets)</i>	Bucu ekstrim/ <i>Extreme tip</i>
43.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur baris dalam (jika berbeza dari baris luar): kekuatan kelengkungan (florete tidak lurus)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: longitudinal axis of inner row (s)(if different from outer row): strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
44.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek/ <i>Short</i>
45.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
46.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
47.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Mamilat/ <i>Mamillate</i>
48.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>

Bil./ No.	Ciri-ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-ciri Dekmacaron Purple/ <i>Characteristics of Dekmacaron Purple</i>
49.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: di antara Red-Purple 70A dan 70B/ <i>RHS Reference: between Red-Purple 70A and 70B</i>
50.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled, and spatulate florets)</i>	Serupa/ <i>Similar</i>
51.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	6.5 minggu/ <i>6.5 weeks</i>

Bertarikh 5 September 2018

Dated 5 September 2018

[KP/LA/483/18/1]ld. 1; PN(PU2)667/XIII]

DATO' JAMAL HARIZAN BIN YANG RAZALI
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*