



23 Ogos 2016  
23 August 2016  
P.U. (B) 369

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN  
VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK  
PEMBAIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION  
OF NEW PLANT VARIETY AND GRANT  
OF BREEDER'S RIGHT*



DISIARKAN OLEH/  
PUBLISHED BY  
JABATAN PEGUAM NEGARA/  
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN  
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY  
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: NG CHOR HONG

Nama pengenalan varieti/*Variety denomination*: VIEW OF SUNSET

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 009/12

Tanaman/*Crops*: Nanas/*Pineapple*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
1.	Pokok: sifat daun/ <i>Plant: foliage attitude</i>	Menegak/ <i>Upright</i>
2.	Pokok: bilangan daun hasil dari bulan ke-4 selepas pemindahan tanaman hingga "forcing"/ <i>Plant: number of leaves produced from 4th month after transplanting to forcing</i>	Sederhana (min 46 unit)/ <i>Medium (mean 46 units)</i>
3.	Daun rujukan: panjang/ <i>Reference leaf: length</i>	Panjang (min 90.05 sm)/ <i>Long (mean 90.05 cm)</i>
4.	Daun rujukan: lebar/ <i>Reference leaf: width</i>	Sederhana ke lebar (min 54.31 mm)/ <i>Medium to broad (mean 54.31 mm)</i>
5.	Daun: warna dominan (pada permukaan atas)/ <i>Leaf: predominant colour (on upper surface)</i>	Hijau pudar/ <i>Pale green</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
6.	Daun: kehadiran variegasi (pada permukaan atas)/ <i>Leaf: presence of variegation (on upper surface)</i>	Tiada/ <i>Absent</i>
7.	Daun: kehadiran antosianin (pada permukaan atas)/ <i>Leaf: presence of anothocyanin (on upper surface)</i>	Ada/ <i>Present</i>
8.	Daun: keamatan antosianin/ <i>Leaf: intensity of anthocyanin</i>	Lemah/ <i>Weak</i>
9.	Daun: sebaran antosianin/ <i>Leaf: distribution of anthocyanin</i>	Terutamanya di margin/ <i>Mainly on margins</i>
10.	Daun: sebaran antosianin secara memanjang/ <i>Leaf: distribution of anthocyanin lengthwise</i>	Sepanjang daun/ <i>All along the leaf</i>
11.	Daun: sifat tepian daun/ <i>Leaf: leaf edges aspect</i>	Berduri/ <i>Spiny</i>
12.	Varieti berduri sahaja: Daun: sebaran duri pada margin/ <i>For varieties with spines only: Leaf: distribution of spines at margin</i>	Kedua-kedua bahagian/ <i>Both parts</i>
13.	Varieti berduri sahaja: Daun: susunan duri pada margin/ <i>For varieties with spines only: Leaf: arrangement of spines at margin</i>	Teratur/ <i>Regular</i>
14.	Varieti berduri sahaja: Daun: arah duri/ <i>For varieties with spines only: Leaf: direction of spines</i>	Mengikut arah/ <i>Ascendant</i>
15.	Varieti berduri sahaja: Daun: warna duri/ <i>For varieties with spines only: Leaf: colour of spines</i>	Berlainan daripada daun/ <i>Different than leaf</i>
16.	Varieti yang warna durinya berlainan: Daun: warna dominan duri/ <i>Varieties with different colour of spines: Leaf: predominant colour of spines</i>	Ungu/merah jambu/ <i>Purple/pink</i>
17.	Varieti berduri sahaja: Daun: saiz duri/ <i>For varieties with spines only: Leaf: spine size</i>	Sederhana ke besar/ <i>Medium to large</i>
18.	Pedunkel: warna permukaan atas daun brakta ventral/ <i>Peduncle: colour of upper surface of ventral bract leaves</i>	Merah/ <i>Red</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
19.	Jambak bunga: saiz brakta floral/ <i>Inflorescence: floral bract size</i>	Kecil/ <i>Small</i>
20.	Jambak bunga: corak pembungaan/ <i>Inflorescence: flowering pattern</i>	Pembungaan berlaku secara rawak/ <i>Flowering proceeds in any order</i>
21.	Jambak bunga: bilangan bunga/ <i>Inflorescence: number of flower</i>	Sederhana ke banyak (min 141 unit)/ <i>Medium to many (mean 141 units)</i>
22.	Bunga: pewarnaan hujung petal/ <i>Flower: petal tip colouration</i>	Ungu sederhana/ <i>Medium purple</i>
23.	Bunga: luas kawasan petal tanpa pewarnaan (tanpa mengasingkan bunga daripada buah)/ <i>Flower: area of petal without colouration (without removing the flower from the fruit)</i>	Sederhana/ <i>Medium</i>
24.	Bunga: panjang petal/ <i>Flower: length of petal</i>	Sederhana (min 21.65 mm)/ <i>Medium (mean 21.65 mm)</i>
25.	Bunga: pangkal petal/ <i>Flower: petal base</i>	Bebas/ <i>Free</i>
26.	Bunga: panjang sepal/ <i>Flower: length of sepal</i>	Besar (min 11.09 mm)/ <i>Large (mean 11.09 mm)</i>
27.	Bunga: warna dominan sepal/ <i>Flower: predominant colour of sepal</i>	Keputihan/ <i>Whitish</i>
28.	Bunga: panjang stamen/ <i>Flower: stamen length</i>	Pendek ke sederhana (min 12.36 mm)/ <i>Short to medium (mean 12.36 mm)</i>
29.	Bunga: panjang stil/ <i>Flower: style length</i>	Sederhana (min 18.46 mm)/ <i>Medium (mean 18.46 mm)</i>
30.	Pokok: bahagian pokok yang melentur atau mendatar/ <i>Plant: part of the plant bending or flattening</i>	Buah/ <i>Fruit</i>
31.	Pokok: tinggi dari tanah ke bahagian atas daun/ <i>Plant: height from the ground to the top of the foliage</i>	Sederhana (min 76.83 sm)/ <i>Medium (mean 76.83 cm)</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
32.	Pokok: tinggi dari tanah ke bahagian pangkal buah/ <i>Plant: height from the ground to the fruit base</i>	Sederhana (min 40.85 sm)/ <i>Medium (mean 40.85 cm)</i>
33.	Pedunkel: kehadiran trikrom sebelum buah masak/ <i>Peduncle: presence of trichomes before unripe</i>	Ada/ <i>Present</i>
34.	Pedunkel: panjang/ <i>Peduncle: length</i>	Sederhana (min 25.98 sm)/ <i>Medium (mean 25.98 cm)</i>
35.	Pedunkel: diameter (pada bahagian tengah)/ <i>Peduncle: diameter (at middle part)</i>	Pendek ke sederhana (min 25.32 mm)/ <i>Short to medium (mean 25.32 mm)</i>
36.	Pedunkel: bilangan brakta (buku pertama ke pedunkel ditanggal tidak termasuk brakta pada paksi buah)/ <i>Peduncle: number of bracts (first node to detached peduncle excluding bracts on fruit axis)</i>	Sedikit/ <i>Few</i>
37.	Pokok: purata bilangan sulur bawah tanah per pokok/ <i>Plant: mean number of underground suckers per plant</i>	Tiada atau sangat sedikit/ <i>None or very few</i>
38.	Pokok: kehadiran sulur tangkai/ <i>Plant: presence of slips</i>	Ada/ <i>Present</i>
39.	Pokok: bilangan sulur tangkai/ <i>Plant: number of slips</i>	Sedikit/ <i>Few</i>
40.	Jambul: sifat/ <i>Crown: attitude</i>	Menegak/ <i>Upright</i>
41.	Jambul: saiz/ <i>Crown: size</i>	Sederhana/ <i>Medium</i>
42.	Jambul: warna daun jambul/ <i>Crown: Colour of crown leaves</i>	Sama seperti daun pokok/ <i>Same as plant leaves</i>
43.	Jambul: bilangan anak jambul per buah/ <i>Crown: number of crownlets per fruit</i>	Tunggal/ <i>Solitary</i>
44.	Jambul: tinggi/ <i>Crown: height</i>	Sederhana (min 25.60 sm)/ <i>Medium (mean 25.60 cm)</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
45.	Buah masak: kesenangan pedunkel patah/ <i>Fruit: breaking from peduncle</i>	Senang/ <i>Easy</i>
46.	Buah masak: bentuk/ <i>Ripe fruit: shape</i>	Berbentuk silinder/ <i>Cylindrical</i>
47.	Buah masak: warna dominan kulit/ <i>Ripe fruit: predominant colour of skin</i>	Hijau gelap/ <i>Dark green</i>
48.	Buah masak: keseragaman warna/ <i>Ripe fruit: colour uniformity</i>	Mengikut gradien/ <i>With gradient</i>
49.	Buah masak: kehadiran leher/ <i>Ripe fruit: presence of neck</i>	Tiada atau seperti sesil/ <i>Absent or sessile like</i>
50.	Buah masak: tinggi (tidak termasuk leher)/ <i>Ripe fruit: height (excluding neck)</i>	Pendek (min 144.54 mm)/ <i>Short (mean 144.54 mm)</i>
51.	Buah masak: diameter pada bahagian bawah (di ketinggian tengah sebelum mata terakhir)/ <i>Ripe fruit: diameter at the lower part (at mid height of the one before last eye)</i>	Sempit (min 84.95 mm)/ <i>Narrow (mean 84.95 mm)</i>
52.	Buah masak: diameter pada bahagian tengah/ <i>Ripe fruit: diameter at the middle</i>	Sempit (min 107.27 mm)/ <i>Narrow (mean 107.27 mm)</i>
53.	Buah masak: diameter pada bahagian atas/ <i>Fruit: diameter at the upper part</i>	Sempit (min 75.47 mm)/ <i>Narrow (mean 75.47 mm)</i>
54.	Buah masak: berat (tidak termasuk jambul)/ <i>Fruit: weight (excluding crown)</i>	Rendah (min 1.06 kg)/ <i>Low (mean 1.06 kg)</i>
55.	Buah masak: bilangan mata/ <i>Ripe fruit: number of eyes</i>	Sedikit (min 125 unit)/ <i>Few (mean 125 units)</i>
56.	Buah masak: profil mata/ <i>Fruit: profile of eyes</i>	Cembung/ <i>Convex</i>
57.	Isi: warna/ <i>Flesh: colour</i>	Kuning muda/ <i>Light yellow</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri VIEW OF SUNSET/ <i>Characteristics of VIEW OF SUNSET</i>
58.	Isi: keseragaman warna dari bahagian bawah ke atas/ <i>Flesh: colour uniformity from the bottom to the top</i>	Mengikuti gradien/ <i>With a gradient</i>
59.	Isi: diameter empulur/ <i>Flesh: core diameter</i>	Kecil ke sederhana (min 24.73 mm)/ <i>Small to medium (mean 24.73 mm)</i>
60.	Isi: kedalaman mata/ <i>Flesh: depth of eye</i>	Cetek/ <i>Shallow</i>
61.	Isi: kepadatan/ <i>Flesh: compactness</i>	Sederhana/ <i>Medium</i>
62.	Isi: kerangupan/ <i>Flesh: crunchiness</i>	Kurang rangup/ <i>Less crunchy</i>
63.	Isi: tekstur/ <i>Flesh: texture</i>	Berserat/ <i>Fibrous</i>
64.	Isi: aroma/ <i>Flesh: aroma</i>	Lemah/ <i>Weak</i>
65.	Isi: keasidan/ <i>Flesh: acidity</i>	Rendah ke sederhana (pH 3.88)/ <i>Low to medium (pH 3.88)</i>
66.	Isi: kandungan gula/ <i>Flesh: sugar content</i>	Sederhana (14.93 °brix)/ <i>Medium (14.93 °brix)</i>

Bertarikh 8 Ogos 2016

Dated 8 August 2016

[KP/LA/483/18 ]ld. 6; PN(PU2)667/X]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK  
*Pengerusi Lembaga Varieti Tumbuhan/  
 Chairman of the Plant Varieties Board*