



24 Mei 2016
24 May 2016
P.U. (B) 240

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN
HAK PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND GRANT
OF BREEDER'S RIGHT*



DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Dekker Breeding B. V.

Nama pengenalan varieti/*Variety denomination*: DEKALEKSANDROV

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 045/13

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil ke sangat kecil/ <i>Very small to small</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana ke panjang/ <i>Medium to long</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio length to width</i>	Tinggi/ <i>High</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal daun paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of the upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of the upper side</i>	Gelap/ <i>Dark</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
18.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of the outer side just before opening</i>	Rujukan RHS: <i>Yellow 007B</i> / <i>RHS Reference: Yellow 007B</i>
19.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
20.	Kuntum bunga: garis pusat (pokok jenis buang tunas)/ <i>Flower head: diameter (disbudded plants)</i>	Besar/ <i>Large</i>
21.	Kuntum bunga: ketinggian (pokok jenis buang tunas)/ <i>Flower head: height (disbudded plants)</i>	Rendah/ <i>Low</i>
22.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Panjang/ <i>Long</i>
23.	Hanya untuk varieti berganda mata-daisi dan varieti berganda: Kuntum bunga: kepadatan floret jejari/ <i>For daisy-eyed double and double varieties only: flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>
24.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Dua/ <i>Two</i>
25.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Spatulat/ <i>Spatulate</i>
26.	Kuntum bunga: jenis floret jejari/ <i>Flower head: secondary type of ray floret</i>	Ligulat/ <i>Ligulate</i>
27.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
28.	Floret jejari: panjang tiub korolla/ <i>Ray floret: length of corolla tube</i>	Panjang/ <i>Long</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
29.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret berbentuk bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at widest point (non-quilled florets)</i>	Bentuk cengkung yang kuat/ <i>Strongly concave shape</i>
30.	Floret jejari: margin bergulung (floret berbentuk bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang lemah/ <i>Weakly revolute</i>
31.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Suku bahagian distal/ <i>Distal quater</i>
32.	Floret jejari: profil tiub (floret berbentuk corong, bulu pelepah dan spatula)/ <i>Ray floret: profile of tube (funnel-shaped, quilled and spatulate florets)</i>	Berbentuk tiga segi/ <i>Triangular</i>
33.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
34.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: longitudinal axis: non-straight part (non-straight ray florets)</i>	Suku bahagian distal ke setengah bahagian distal/ <i>Distal quarter to distal half</i>
35.	Floret jejari: paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: longitudinal axis: strength of curvature (non-straight florets)</i>	Sederhana/ <i>Medium</i>
36.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
37.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar): bahagian tidak lurus (floreit tidak lurus)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row): part not straight (non-straight florets)</i>	Setengah bahagian distal ke tiga suku distal/ <i>Distal half to distal three quarters</i>
38.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: Floret jejari: paksi membujur pada baris dalam (jika berbeza dengan baris luar): kekuatan kelengkungan (floreit tidak lurus)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row): strength of curvature (non-straight florets)</i>	Sederhana ke kuat/ <i>Medium to strong</i>
39.	Floret jejari: panjang/ <i>Ray floret: length</i>	Panjang ke sangat panjang/ <i>Long to very long</i>
40.	Floret jejari: lebar/ <i>Ray floret: width</i>	Lebar/ <i>Broad</i>
41.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Sederhana/ <i>Medium</i>
42.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Dentat/ <i>Dentate</i>
43.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
44.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: <i>Yellow 006B/</i> <i>RHS Reference: Yellow 006B</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DEKALEKSANDROV/ <i>Characteristics of DEKCHEVY</i>
45.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk warna tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of the outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Serupa/ <i>Similar</i>
46.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	9 minggu/ <i>9 weeks</i>

Bertarikh 18 April 2016

Dated 18 April 2016

[KP/LA/483/18]ld. 6; PN(PU2)667/X]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*