



24 Mei 2016
24 May 2016
P.U. (B) 239

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK
PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND GRANT OF
BREEDER'S RIGHT*



DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Chrysanten B.V.

Nama pengenalan varieti/*Variety denomination*: DELIPINKYROCK

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 006/14

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Sederhana ke tinggi/ <i>Medium to tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Sederhana/ <i>Medium</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Pendek/ <i>Short</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana/ <i>Medium</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Bertindih/ <i>Overlapping</i>
13.	Daun: bentuk pangkal daun paling dominan/ <i>Leaf: predominant shape of base</i>	Kontot/ <i>Truncate</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of the upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of the upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana ke banyak/ <i>Medium to many</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Sederhana/ <i>Medium</i>
18.	Hanya untuk varieti tidak rimbun: bunga: bentuk/ <i>For non-bushy varieties only: inflorescence: form</i>	Bentuk silinder/ <i>Cylindrical</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
19.	Hanya untuk varieti tidak rimbun: bunga: lebar pada bahagian paling lebar/ <i>For non-bushy varieties only: inflorescence: width at widest point</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>
20.	Hanya untuk varieti tidak rimbun: bunga: arah antara pucuk sisi primer dengan batang/ <i>For non-bushy varieties only: inflorescence: angle between primary lateral shoot and stem</i>	Kecil/ <i>Small</i>
21.	Hanya untuk varieti tidak rimbun: bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: inflorescence: attitude of lateral flower heads</i>	Separa menegak/ <i>Semi-upright</i>
22.	Hanya untuk varieti tidak rimbun: bunga: jumlah kuntum bunga bagi setiap batang/ <i>For non-bushy varieties only: inflorescence: total number of flower heads per stem</i>	Sederhana/ <i>Medium</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of the outer side just before opening</i>	Rujukan RHS: <i>Purple 070A</i> / <i>RHS Reference: Purple 070A</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: diameter (pokok jenis tidak buang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Kecil/ <i>Small</i>
26.	Kuntum bunga: ketinggian (pokok jenis tidak buang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Panjang/ <i>Long</i>
28.	Hanya untuk varieti separa berganda dan varieti berganda mata-daisi: kuntum bunga: bilangan baris floret jejari/ <i>For daisy-eyed double and double varieties only: flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berlunas/ <i>Keeled</i>
32.	Floret jejari: bilangan lunas/ <i>Ray floret: number of keels</i>	Dua/ <i>Two</i>
33.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
34.	Floret jejari: profil corong (floret berbentuk corong, bulu pelepah dan spatula)/ <i>Ray floret: profile of tube (funnel-shaped, quilled and spatulate florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave</i>
35.	Floret jejari: margin bergulung (floret berbentuk bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolut yang lemah/ <i>Weakly revolute</i>
36.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Keseluruhan/ <i>Throughout</i>
37.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Lurus/ <i>Straight</i>
38.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: paksi membujur di baris dalam jika berbeza dengan baris luar)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row)</i>	Melengkung ke dalam/ <i>Incurving</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
39.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: paksi membujur di baris dalam jika berbeza dengan baris luar: bahagian tidak lurus (floret tidak lurus)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row): part not straight (non-straight florets)</i>	Hunjung ekstrem ke suku bahagian distal/ <i>Extreme tip to distal quarter</i>
40.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: paksi membujur di baris dalam jika berbeza dengan baris luar): kekuatan kelengkungan (floret tidak lurus)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: longitudinal axis of inner row (if different from outer row): strength of curvature (non-straight florets)</i>	Lemah ke sederhana/ <i>Weak to medium</i>
41.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sangat pendek ke pendek/ <i>Very short to short</i>
42.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
43.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Sangat rendah ke rendah/ <i>Very low to low</i>
44.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Dentat/ <i>Dentate</i>
45.	Floret jejari: bilangan warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
46.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	<i>Light Blue Violet 069C, tetapi agak pucat/</i> <i>Light Blue Violet 069C, but slightly paler</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri DELIPINKYROCK/ <i>Characteristics of DELIPINKYROCK</i>
47.	Floret jejari: warna di bahagian luar jika dibandingkan dengan bahagian dalam (termasuk warna tiub pada floret berbentuk corong, bulu pelepah dan spatula)/ <i>Ray floret: colour of the outer side compared to inner side (including tube for funnel-shaped, quilled and spatulate florets)</i>	Ketara berbeza/ <i>Markedly different</i>
48.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: warna di bahagian luar, jika ketara berbeza dari bahagian dalam/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: colour of outer side, where markedly different to inner side</i>	<i>Light Blue Violet 069C</i> , dengan curahan <i>Blue Pink N74C</i> / <i>Light Blue Violet 069C, flushed with Blue Pink N74C</i>
49.	Hanya untuk varieti separa berganda, varieti berganda mata-daisi dan varieti berganda: floret jejari: warna di bahagian luar baris dalam (jika berbeza dengan baris luar)/ <i>For semi-double, daisy-eyed double and double varieties only: ray floret: colour of outer side of inner row (if different from outer row)</i>	<i>White NN155A</i> , dengan ungu kemerahan di hujung/ <i>White NN155A, with red purple at the tip</i>
50.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 18 April 2016

Dated 18 April 2016

[KP/LA/483/18]ld. 6; PN(PU2)667/X]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK
Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board