



24 Mei 2016  
24 May 2016  
P.U. (B) 237

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN  
VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK  
PEMBAIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION  
OF NEW PLANT VARIETY AND GRANT  
OF BREEDER'S RIGHT*



DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN  
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY  
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Fides B.V.

Nama pengenalan varieti/*Variety denomination*: FITLENNOX

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 024/13

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem: colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil/ <i>Small</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: length relative to leaf length</i>	Pendek/ <i>Short</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Pendek ke sederhana/ <i>Short to medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang/lebar/ <i>Leaf: ratio length/width</i>	Sederhana ke tinggi/ <i>Medium to high</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Sederhana/ <i>Medium</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of lowest lateral sinus</i>	Dalam/ <i>Deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of lowest lateral sinus</i>	Menumpu/ <i>Converging</i>
13.	Daun: bentuk pangkal daun paling dominan/ <i>Leaf: predominant shape of base</i>	Membulat/ <i>Rounded</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Tiada atau sangat lemah/ <i>Absent or very weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of upper side</i>	Gelap/ <i>Dark</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentations</i>	Dalam/ <i>Deep</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Kubah ke dalam/ <i>Deeply domed</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: kelebaran pada bahagian paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at widest point</i>	Sangat sempit ke sempit/ <i>Very narrow to narrow</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut antara pucuk sisi utama dengan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Kecil/ <i>Small</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Menegak ke separa menegak/ <i>Upright to semi-upright</i>
22.	Hanya untuk varieti tidak rimbun: Jumlah bilangan kuntum bunga pada setiap batang/ <i>For non-bushy varieties only: Total number of flower heads per stem</i>	Sedikit/ <i>Few</i>
23.	Kudup bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of outer side just before opening</i>	Rujukan RHS: <i>Yellow 6A</i> / <i>RHS Reference: Yellow 6A</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Separa berganda/ <i>Semi-double</i>
25.	Tidak termasuk varieti berganda dan varieti berganda mata-daisi: Cakera: jenis/ <i>Excluding double and daisy-eyed double varieties: Disc: type</i>	Anemone/ <i>Anemone</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak bertunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Kecil ke sederhana/ <i>Small to medium</i>
27.	Kuntum bunga: ketinggian (pokok jenis tidak bertunas)/ <i>Flower head: height (non-disbudded plants)</i>	Rendah ke sederhana/ <i>Low to medium</i>
28.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Panjang/ <i>Long</i>
29.	Hanya untuk varieti separa berganda dan varieti berganda mata-daisi: Kuntum bunga: bilangan baris floret jejari/ <i>For semi-double and daisy-eyed double varieties only: Flower head: number of rows of ray florets</i>	Sangat sedikit ke sedikit/ <i>Very few to few</i>
30.	Hanya untuk varieti tunggal dan varieti separa berganda: Kuntum bunga: bilangan jejari floret/ <i>For single and semi-double varieties only: Flower head: number of ray florets</i>	Sederhana ke banyak/ <i>Medium to many</i>
31.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Satu/ <i>One</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
32.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
33.	Hanya untuk varieti tunggal dan varieti separa berganda: Floret jejari: sifat pada bahagian basal/ <i>For single and semi double varieties only: Ray floret: attitude of basal part</i>	Menghala ke atas secara horizontal/ <i>Moderately ascending to horizontal</i>
34.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
35.	Floret jejari: panjang tiub korolla/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
36.	Floret jejari: keratan rentas profil pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at widest point (non-quilled florets)</i>	Bentuk cekung yang lemah/ <i>Weakly concave shape</i>
37.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolusi yang lemah/ <i>Weakly revolute</i>
38.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
39.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Melengkung ke dalam/ <i>Incurving</i>
40.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: part not straight (non-straight ray florets)</i>	Hujung ekstrem/ <i>Extreme tip</i>
41.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah ke sederhana/ <i>Weak to medium</i>
42.	Floret jejari: panjang/ <i>Ray floret: length</i>	Pendek ke sederhana/ <i>Short to medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
43.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
44.	Floret jejari: nisbah panjang/lebar/ <i>Ray floret: ratio length/width</i>	Rendah ke sederhana/ <i>Low to medium</i>
45.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Mamilat/ <i>Mammillate</i>
46.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
47.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	Rujukan RHS: <i>Yellow 9A/</i> <i>RHS Reference: Yellow 9A</i>
48.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of outer side compared to inner side (including tube for funnel-shaped, quilled, and spatulate florets)</i>	Serupa/ <i>Similar</i>
49.	Hanya untuk varieti tunggal dan varieti separa berganda jenis anemone: Cakera: garis pusat/ <i>For single and semi-double varieties which are anemone type only: Disc: diameter</i>	Sederhana/ <i>Medium</i>
50.	Hanya untuk varieti tunggal dan varieti separa berganda: Cakera: garis pusat cakera jika dibandingkan dengan garis pusat kuntum bunga/ <i>For single and semi-double varieties only: Disc: diameter relative to head diameter</i>	Besar/ <i>Large</i>
51.	Hanya untuk varieti anemone: Cakera: warna sebelum anter membengang/  <i>For anemone type varieties only: Disc: colour before anther dehiscence</i>	Rujukan RHS: Hampir <i>Yellow-Green N144C</i> , sedikit lebih kuning/ <i>RHS Reference: Nearest Yellow-Green N144C, but slightly more yellow</i>
52.	Hanya untuk varieti anemone: Cakera: warna semasa anter membengang/ <i>For anemone type varieties only: Disc: colour at anther dehiscence</i>	Rujukan RHS: <i>Yellow 9A/</i> <i>RHS Reference: Yellow 9A</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri FITLENNOX/ <i>Characteristics of FITLENNOX</i>
53.	Hanya untuk varieti anemone: Cakera floret: jenis/ <i>For anemone type varieties only: Disc floret: type</i>	Bentuk tiub mengembang/ <i>Enlarged tubular</i>
54.	Hanya untuk varieti anemone: Cakera floret: panjang/ <i>For anemone type varieties only: Disc floret: length</i>	Pendek/ <i>Short</i>
55.	Hanya untuk varieti anemone: Cakera floret: warna/  <i>For anemone type varieties only: Disc floret: colour</i>	Rujukan RHS: <i>Yellow 9B, with Yellow 9A</i> di dalam bahagian mulut tiub/ <i>RHS Refferences: Yellow 9B, with Yellow 9A in the mouth of the tube</i>
56.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7 minggu/ <i>7 weeks</i>

Bertarikh 24 Mac 2016

*Dated 24 March 2016*

[KP/LA/483/18/1; PN(PU2) 667/X]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK  
*Pengerusi Lembaga Varieti Tumbuhan/  
Chairman of the Plant Varieties Board*