



24 Mei 2016  
24 May 2016  
P.U. (B) 231

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT  
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN  
VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK  
PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION  
OF NEW PLANT VARIETY AND GRANT  
OF BREEDER'S RIGHT*



DISIARKAN OLEH/  
*PUBLISHED BY*  
JABATAN PEGUAM NEGARA/  
*ATTORNEY GENERAL'S CHAMBERS*

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN  
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY  
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

## JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Bonza Botanicals PTY LTD

Nama pengenalan varieti/*Variety denomination*: Bonpridepcom

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 032/14

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

*Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:*

| Bil./<br>No. | Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>  | Ciri-Ciri Bonpridepcom/<br><i>Characteristics of Bonpridepcom</i> |
|--------------|---|---|
| 1.           | Pokok: dahan/<br><i>Plant: branching</i>  | Ada/<br><i>Present</i>  |
| 2.           | Pokok: bilangan dahan/<br><i>Plant: number of branches</i>  | Banyak/<br><i>Many</i>  |
| 3.           | Pokok: tinggi/<br><i>Plant: height</i>  | Sangat pendek/<br><i>Very short</i>                               |
| 4.           | Pokok: lebar/<br><i>Plant: width</i>  | Sangat sempit ke sempit/<br><i>Very narrow to narrow</i>          |
| 5.           | Batang: intensiti warna hijau pada bahagian satu per tiga tengah/<br><i>Stem: intensity of green colour on middle third</i> | Kuat ke sangat kuat/<br><i>Strong to very strong</i>              |

| Bil./<br>No. | Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>  | Ciri-Ciri Bonpridepcom/<br><i>Characteristics of Bonpridepcom</i> |
|--------------|---|---|
| 6.           | Batang: intensiti pewarnaan antosianin pada bahagian satu per tiga tengah/<br><i>Stem: intensity of anthocyanin colouration of middle third</i>                                   | Tiada atau sangat lemah/<br><i>Absent or very weak</i>            |
| 7.           | Batang: pewarnaan antosianin pada bahagian satu per tiga atas/<br><i>Stem: anthocyanin colouration on upper third</i>   | Tiada atau lemah/<br><i>Absent or weak</i>                        |
| 8.           | Lai daun: panjang/<br><i>Leaf blade: length</i>   | Sangat pendek ke pendek/<br><i>Very short to short</i>            |
| 9.           | Lai daun: lebar/<br><i>Leaf blade: width</i>  | Sangat sempit/<br><i>Very narrow</i>                              |
| 10.          | Lai daun: bentuk/<br><i>Leaf blade: shape</i>   | Ovat/<br><i>Ovate</i>   |
| 11.          | Lai daun: bentuk bahagian pangkal/<br><i>Leaf blade: shape of base</i>  | Membulat/<br><i>Rounded</i>                                       |
| 12.          | Lai daun: bilangan warna pada bahagian atas/<br><i>Leaf blade: number of colours on upper side</i>  | Satu/<br><i>One</i>   |
| 13.          | Hanya untuk varieti yang mempunyai daun satu warna: Lai daun: intensiti warna hijau/<br><i>For varieties with one coloured leaves only: Leaf blade: intensity of green colour</i> | Kuat/<br><i>Strong</i>  |
| 14.          | Lai daun: warna urat utama pada bahagian atas/<br><i>Leaf blade: colour of main vein on upper side</i>  | Hanya hijau/<br><i>Only green</i>                                 |
| 15.          | Lai daun: bilangan lobus/<br><i>Leaf blade: number of lobes</i>   | Banyak/<br><i>Many</i>  |
| 16.          | Lai daun: kedalaman bahagian sinus paling dalam/<br><i>Leaf blade: depth of deepest sinus</i>   | Sangat cetek/<br><i>Very shallow</i>                              |
| 17.          | Lai daun: kelengkungan urat utama/<br><i>Leaf blade: curvature of main vein</i>   | Tiada atau lemah/<br><i>Absent or weak</i>                        |

| Bil./<br>No. | Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>  | Ciri-Ciri Bonpridepcom/<br><i>Characteristics of Bonpridepcom</i> |
|--------------|---|---|
| 18.          | Petiol: panjang/<br><i>Petiole: length</i>  | Sangat pendek/<br><i>Very short</i>                               |
| 19.          | Petiol: intensiti warna hijau pada permukaan atas/<br><i>Petiole: intensity of green colour on upper side</i>   | Tiada atau sangat lemah/<br><i>Absent or very weak</i>            |
| 20.          | Petiol: pewarnanan antosianin pada permukaan atas/<br><i>Petiole: anthocyanin colouration on upper side</i>   | Lemah ke sederhana/<br><i>Weak to medium</i>                      |
| 21.          | Petiol: pewarnaan antosianin pada bahagian bawah/<br><i>Petiole: anthocyanin colouration on lower side</i>  | Tiada atau lemah/<br><i>Absent or weak</i>                        |
| 22.          | Daun transisi: bilangan lai daun dengan separuh warna brakta/<br><i>Transitional leaves: number of partly bract-coloured leaf blades</i>  | Sedikit ke sederhana/<br><i>Few to medium</i>                     |
| 23.          | Daun transisi: bilangan lai daun dengan sepenuhnya warna brakta/<br><i>Transitional leaves: number of fully bract-coloured leaf blades</i>  | Sederhana ke banyak/<br><i>Medium to many</i>                     |
| 24.          | Daun transisi: lobus/<br><i>Transitional leaves: lobbing</i>  | Tiada atau lemah/<br><i>Absent or weak</i>                        |
| 25.          | Daun transisi: kelengkungan sepanjang urat utama lai daun dengan sepenuhnya warna brakta/<br><i>Transitional leaves: curvature along main vein of fully bract-coloured leaf blade</i> | Tiada atau lemah/<br><i>Absent or weak</i>                        |
| 26.          | Brakta: bilangan/<br><i>Bract: number</i>   | Banyak/<br><i>Many</i>  |
| 27.          | Brakta terbesar: panjang (termasuk petiol)/<br><i>Largest bract: length (including petiole)</i>   | Sangat pendek/<br><i>Very short</i>                               |
| 28.          | Brakta terbesar: lebar/<br><i>Largest bract: width</i>  | Sangat sempit/<br><i>Very narrow</i>                              |
| 29.          | Brakta terbesar: bentuk/<br><i>Largest bract: shape</i>   | Eliptik/<br><i>Elliptic</i>                                       |

| Bil./<br>No. | Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>   | Ciri-Ciri Bonpridepcom/<br><i>Characteristics of Bonpridepcom</i>             |
|--------------|--|---|
| 30.          | Brakta: bilangan warna pada bahagian atas/<br><i>Bract: number of colours on upper side</i>  | Satu/<br><i>One</i>   |
| 31.          | Hanya untuk varieti dengan brakta satu warna: brakta: warna pada bahagian atas/<br><i>For varieties with one coloured bract only: bract: colours of upper side</i> | Rujukan RHS: <i>Purple-red N57B/</i><br><i>RHS reference: Purple-red N57B</i> |
| 32.          | Brakta: tompokan pada permukaan atas/<br><i>Bract: spotting of upper side</i>  | Tiada/<br><i>Absent</i>   |
| 33.          | Hanya untuk varieti dengan brakta satu warna: warna pada bahagian bawah/<br><i>For varieties with one coloured bract only: Bract: colour of lower side</i>         | Rujukan RHS: <i>Purple-red 57D/</i><br><i>RHS reference: Purple-red 57D</i>   |
| 34.          | Brakta: lipatan sepanjang urat utama/<br><i>Bract: folding along the main vein</i>   | Tiada/<br><i>Absent</i>   |
| 35.          | Brakta: berpintal /<br><i>Bract: twisting</i>  | Tiada/<br><i>Absent</i>   |
| 36.          | Brakta: ketaksekataan permukaan antara urat/<br><i>Bract: rugosity between veins</i>   | Tiada atau sangat lemah/<br><i>Absent or very weak</i>                        |
| 37.          | Cymen: lebar/<br><i>Cymen: width</i>   | Sederhana ke lebar/<br><i>Medium to broad</i>                                 |
| 38.          | Cyathium: saiz kelenjar/<br><i>Cyathium: size of the gland</i>   | Kecil/<br><i>Small</i>  |
| 39.          | Cyathium: warna utama kelenjar/<br><i>Cyathium: main colour of gland</i>   | Kuning/<br><i>Yellow</i>  |
| 40.          | Cyathium: perubahan bentuk kelenjar/<br><i>Cyathium: deformation of gland</i>  | Tiada/<br><i>Absent</i>   |
| 41.          | Masa pembukaan cyathia/<br><i>Time of opening cyathia</i>  | Sederhana/<br><i>Medium</i>   |

Bertarikh 24 Mac 2016  
*Dated 24 March 2016*  
[KP/LA/483/18/1; PN(PU2)667/X]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK  
*Pengerusi Lembaga Varieti Tumbuhan/  
Chairman of the Plant Varieties Board*