



25 April 2016
25 April 2016
P.U. (B) 182

WARTA KERAJAAN PERSEKUTUAN

*FEDERAL GOVERNMENT
GAZETTE*

PEMBERITAHUAN PERMOHONAN PENDAFTARAN
VARIETI BARU TUMBUHAN DAN PEMBERIAN HAK
PEMBIAK BAKA

*NOTIFICATION OF APPLICATION FOR REGISTRATION
OF NEW PLANT VARIETY AND GRANT
OF BREEDER'S RIGHT*



DISIARKAN OLEH/
PUBLISHED BY
JABATAN PEGUAM NEGARA/
ATTORNEY GENERAL'S CHAMBERS

AKTA PERLINDUNGAN VARIETI BARU TUMBUHAN 2004

PEMBERITAHUAN PERMOHONAN PENDAFTARAN VARIETI BARU TUMBUHAN
DAN PEMBERIAN HAK PEMBIAK BAKA

PADA menjalankan kuasa yang diberikan oleh seksyen 22 Akta Perlindungan Varieti Baru Tumbuhan 2004 [*Akta 634*], Lembaga memberitahu bahawa suatu permohonan bagi pendaftaran varieti baru tumbuhan dan pemberian hak pembiak baka telah dibuat seperti yang dinyatakan dalam Jadual.

PROTECTION OF NEW PLANT VARIETIES ACT 2004

NOTIFICATION OF APPLICATION FOR REGISTRATION OF NEW PLANT VARIETY
AND GRANT OF BREEDER'S RIGHT

IN exercise of the powers conferred by section 22 of the Protection of New Plant Varieties Act 2004 [*Act 634*], the Board notifies that an application for the registration of new plant variety and grant of breeder's right has been made as specified in the Schedule.

JADUAL/SCHEDULE

Nama pemohon/*Name of applicant*: Deliflor Royalties B.V.

Nama pengenalan varieti/*Variety denomination*: Delifortune

No. rujukan fail pemohon/*Applicant file reference no.*: PVBT 015/12

Tanaman/*Crops*: Kekwa/*Chrysanthemum*

Ciri-ciri varieti: Tertakluk kepada keadaan cuaca dan persekitaran, ciri-ciri yang didapati semasa pemeriksaan dijalankan ke atas varieti tersebut adalah seperti yang berikut:

Characteristics of the variety: Subject to the weather and environmental conditions, the characteristics obtained during the examination on the variety are as follows:

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
1.	Pokok: ketinggian/ <i>Plant: height</i>	Tinggi/ <i>Tall</i>
2.	Pokok: jenis/ <i>Plant: type</i>	Tidak rimbun/ <i>Non-bushy</i>
3.	Batang: warna/ <i>Stem:colour</i>	Hijau/ <i>Green</i>
4.	Stipul: saiz/ <i>Stipule: size</i>	Kecil/ <i>Small</i>
5.	Petiol: sifat/ <i>Petiole: attitude</i>	Sederhana menegak/ <i>Moderately upwards</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
6.	Petiol: panjang relatif kepada panjang daun/ <i>Petiole: relative length to leaf length</i>	Sederhana/ <i>Medium</i>
7.	Daun: panjang termasuk petiol/ <i>Leaf: length including petiole</i>	Sederhana/ <i>Medium</i>
8.	Daun: lebar/ <i>Leaf: width</i>	Sempit ke sederhana/ <i>Narrow to medium</i>
9.	Daun: nisbah panjang kepada lebar/ <i>Leaf: ratio of length to width</i>	Tinggi ke amat tinggi/ <i>High to very high</i>
10.	Daun: panjang lobus terminal berbanding dengan panjang daun/ <i>Leaf: length of terminal lobe relative to leaf length</i>	Pendek/ <i>Short</i>
11.	Daun: kedalaman sinus sisi paling bawah/ <i>Leaf: depth of the lowest lateral sinus</i>	Sederhana ke dalam/ <i>Medium to deep</i>
12.	Daun: margin sinus sisi paling bawah/ <i>Leaf: margins of the lowest lateral sinus</i>	Selari/ <i>Parallel</i>
13.	Daun: bentuk pangkal daun paling dominan/ <i>Leaf: predominant shape of base</i>	Obtus/ <i>Obtuse</i>
14.	Daun: kilauan pada permukaan atas/ <i>Leaf: glossiness of upper side</i>	Lemah/ <i>Weak</i>
15.	Daun: warna hijau pada permukaan atas/ <i>Leaf: green colour of the upper side</i>	Sederhana/ <i>Medium</i>
16.	Margin daun: bilangan lekukan/ <i>Leaf margin: number of indentations</i>	Sederhana/ <i>Medium</i>
17.	Margin daun: kedalaman lekukan/ <i>Leaf margin: depth of indentation</i>	Sederhana/ <i>Medium</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
18.	Hanya untuk varieti tidak rimbun: Jambak bunga: bentuk/ <i>For non-bushy varieties only: Inflorescence: form</i>	Kubah ke dalam/ <i>Deeply domed</i>
19.	Hanya untuk varieti tidak rimbun: Jambak bunga: kelebaran pada bahagian yang paling lebar/ <i>For non-bushy varieties only: Inflorescence: width at widest point</i>	Sempit/ <i>Narrow</i>
20.	Hanya untuk varieti tidak rimbun: Jambak bunga: sudut antara pucuk sisi utama dengan batang/ <i>For non-bushy varieties only: Inflorescence: angle between primary lateral shoot and stem</i>	Besar/ <i>Large</i>
21.	Hanya untuk varieti tidak rimbun: Jambak bunga: sifat kuntum bunga sisi/ <i>For non-bushy varieties only: Inflorescence: attitude of lateral flower heads</i>	Separa menegak/ <i>Semi upright</i>
22.	Hanya untuk varieti tidak rimbun: Jambak bunga: jumlah bilangan kuntum bunga pada setiap tangkai/ <i>For non-bushy varieties only: Inflorescence: total number of flower heads per stalk</i>	Sederhana/ <i>Medium</i>
23.	Putik bunga: warna bahagian luar sebelum terbuka/ <i>Flower bud: colour of the outer side just before opening</i>	<i>Yellow 4D/</i> <i>Yellow 4D</i>
24.	Kuntum bunga: jenis/ <i>Flower head: type</i>	Berganda/ <i>Double</i>
25.	Kuntum bunga: ketinggian (pokok jenis tidak buang tunas)/ <i>Flower head: height (non-disbudded plants)</i>	Sederhana ke tinggi/ <i>Medium to high</i>
26.	Kuntum bunga: garis pusat (pokok jenis tidak buang tunas)/ <i>Flower head: diameter (non-disbudded plants)</i>	Sederhana ke besar/ <i>Medium to large</i>
27.	Kuntum bunga: panjang pedunkel/ <i>Flower head: length of peduncle</i>	Amat pendek ke pendek/ <i>Very short to short</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
28.	Hanya untuk varieti berganda mata-daisi dan berganda: Kuntum bunga: kepadatan floret jejari/ <i>For daisy-eyed doubled and double varieties only: Flower head: density of ray florets</i>	Sederhana/ <i>Medium</i>
29.	Kuntum bunga: bilangan jenis floret jejari/ <i>Flower head: number of types of ray florets</i>	Dua/ <i>Two</i>
30.	Kuntum bunga: jenis floret jejari paling dominan/ <i>Flower head: predominant type of ray floret</i>	Ligulat/ <i>Ligulate</i>
31.	Kuntum bunga: jenis floret jejari paling sekunder/ <i>Flower head: secondary type of ray floret</i>	Spatulat/ <i>Spatulate</i>
32.	Floret jejari: permukaan atas/ <i>Ray floret: upper surface</i>	Berkedut/ <i>Ribbed</i>
33.	Floret jejari: panjang tiub korola/ <i>Ray floret: length of corolla tube</i>	Pendek/ <i>Short</i>
34.	Floret jejari: profil keratan rentas pada bahagian paling lebar (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: profile in cross section at widest point (non-quilled florets)</i>	Bentuk cembung yang lemah/ <i>Weakly Convex</i>
35.	Floret jejari: margin bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: rolling of margin (non-quilled florets)</i>	Revolusi yang sederhana/ <i>Moderately revolute</i>
36.	Floret jejari: posisi bahagian dengan margin yang bergulung (floret bukan berbentuk bulu pelepah)/ <i>Ray floret: position of part with rolled margin (non-quilled florets)</i>	Setengah bahagian distal/ <i>Distal half</i>
37.	Floret jejari: floret berbentuk corong, spatulat dan pelepah/ <i>Ray floret: profile of tube (funnel-shaped, spatulate and quilled florets)</i>	Berbentuk tiga segi/ <i>Triangular</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
38.	Floret jejari: paksi membujur/ <i>Ray floret: longitudinal axis</i>	Keluk mendalam/ <i>Incurving</i>
39.	Floret jejari: Paksi membujur: bahagian tidak lurus (floret jejari tidak lurus)/ <i>Ray floret: Longitudinal axis: non-straight part (non-straight ray florets)</i>	Suku bahagian distal/ <i>Distal quarter</i>
40.	Floret jejari: Paksi membujur: kekuatan kelengkungan (floret tidak lurus)/ <i>Ray floret: Longitudinal axis: strength of curvature (non-straight florets)</i>	Lemah/ <i>Weak</i>
41.	Floret jejari: panjang/ <i>Ray floret: length</i>	Sederhana/ <i>Medium</i>
42.	Floret jejari: lebar/ <i>Ray floret: width</i>	Sederhana/ <i>Medium</i>
43.	Floret jejari: nisbah panjang kepada lebar/ <i>Ray floret: ratio of length to width</i>	Rendah ke sederhana/ <i>Low to medium</i>
44.	Floret jejari: bentuk bahagian hujung/ <i>Ray floret: shape of tip</i>	Bentuk tajam/ <i>Pointed</i>
45.	Floret jejari: jumlah warna pada bahagian dalam/ <i>Ray floret: number of colours of inner side</i>	Satu/ <i>One</i>
46.	Floret jejari: warna utama di bahagian dalam/ <i>Ray floret: main colour of inner side</i>	<i>White NN155C/</i> <i>White NN155C</i>
47.	Floret jejari: warna di bahagian luar jika dibandingkan dengan warna di bahagian dalam (termasuk warna tiub pada floret berbentuk corong, bulu pelepah dan spatulat)/ <i>Ray floret: colour of the outer side compared to the colour of the inner side (including tube for funnel-shaped, quill and spatulate florets)</i>	Serupa/ <i>Similar</i>

Bil./ No.	Ciri-Ciri Varieti/ <i>Characteristics of Variety</i>	Ciri-Ciri Delifortune/ <i>Characteristics of Delifortune</i>
48.	Hanya untuk varieti tunggal dan separa berganda yang jenis anemone: Cakera: garis pusat/ <i>For single and semi-double varieties which are anemone type only: Disc: diameter</i>	Sederhana/ <i>Medium</i>
49.	Hanya untuk varieti separa berganda, berganda mata-daisi dan berganda: Floret jejari: warna dibahagian luar di bahagian dalam baris (jika berbeza dengan bahagian luar baris)/ <i>For semi double, daisy-eyed double and double varieties only: Ray floret: colour of outer side of inner row (if different from outer row)</i>	<i>Yellow-Green 154d/</i> <i>Yellow-Green 154d</i>
50.	Kumpulan respons (ditanam di bawah kawalan jangka siang yang ditetapkan)/ <i>Response group (grown with precise day length control)</i>	7 Minggu/ <i>7 Weeks</i>

Bertarikh 10 Julai 2015

Dated 10 July 2015

[KP/LA/483 18]ld. 6; PN(PU2)667/IX]

DATO' AHMAD ZAKARIA BIN MOHAMAD SIDEK
*Pengerusi Lembaga Varieti Tumbuhan/
Chairman of the Plant Varieties Board*